



Shop Order

ARV DEMO

ARV DEMO

Exp. Date: 04/21/2018
 Quote No: 10039-0054

Job/Order No: 17OF-23366XW

Page 1

PART NO	S	DESCRIPTION	QTY	ID
		== *****BID STANDARDS***** - 15.005 03/21/18 ==	1	AEV
00-00-0010		-- ORDER NUMBER	1	AEV
00-00-0105		-- Order Date: Post July 1, 2017	1	AEV
00-00-0113		-- KKK Required State: Yes	1	AEV
00-00-0132	>	-- Change Notice Number 10 Required: Yes	1	AEV
00-10-0015	S	Vehicle Quantity (1 Vehicles)	1	AEV
00-91-0002	S	BODY NUMBER: 11385	1	AEV
00-91-0005	S	-- MICKEY BODY DUE DATE : 05/10/18	1	AEV
00-91-0003		CHASSIS VIN NUMBER:	1	AEV
00-91-0012		ACCOUNT MANAGER: Lola Walls	1	AEV
00-91-0027	S	REFERENCE UNIT #: 17OF-22295XW	1	AEV
00-91-0028	S	RE-WRITE DATE : 3/26/18	1	AEV
00-91-0040		SEAT BELT POSITIONS MODS	1	AEV
00-91-0042		-- CAB SEAT BELT MOD:	1	AEV
00-91-0044		-- Total: 2 Positions	1	AEV
00-91-0050		-- REAR SEAT BELT MOD:	1	AEV
00-91-0054		-- Total: 4 Positions	1	AEV
00-99-9000		Revision Level: 0 - Zero - ORIGINAL VERSION	1	AEV
00-99-9031	S <	Change Order Level: #1 - Date: 05/22/18	1	AEV
		1) DELETE 20AMP SUPER AUTO EJECT SHORELINE. TO BE REPLACED WITH BLUE SEAT SURE EJECT 20 AMP SHORE LINE AND COVER. PART # 7851B SURE EJECT WITH 7820B YELLOW COVER, SHIP LOOSE 7841B PLUG. PART IS A SAMPLE ARV HAS AGREED TO INSTALL AT NO COST.		
00-99-9032	S <	-- Change Order Level: #2 - Date: 06/12/18	1	AEV
		1) OVERHEAD GRAB RAILS & 3 PT ENTRY HANDLES ALL TO BE YELLOW.		
		2) REAR KICK PLATE M6 SERIES LIGHTS ARE TO BE AMBER WITH CLEAR LENS. PROGRAM #153		
	S < >	Wood Cabinet Configuration "X" Option	1	AEV
		>>> All Cabinets and module materials will have a wood substrate		

PART NO	S	DESCRIPTION	QTY	ID
		instead of aluminum as applicable >>		
		== *****F-Series 108ca CHASSIS***** - 15.005 03/21/18 ==	1	AEV
01-1F-0000		Type I Modular Ambulance	1	AEV
01-AM-1F49		> 2017 Ford, F-550 4 x 4 DRW Reg Cab, 193.3" WB, XLT Limited availability	1	AEV
01-1F-0085		-- Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel - F-series	1	AEV
01-1F-02CM		-- Cab Interior Color: Medium Earth Gray F-series 2017	1	AEV
01-1F-02T5		-- F-Series 193" wheelbase reg cab LWB	1	AEV
01-1F-04PU		-- GVWR: 18,000 pounds, FAWR: 7,000, RAWR: 13,660 (4x4)	1	AEV
01-FL-TI06		-- Tire, SPARE: Matching, Random Make	1	AEV
01-FM-TI01		-- Location: Shipped Loose	1	AEV
01-TU-0112	S	-- Jack and Tire Tools: Ship Loose	1	AEV
01-FM-4WH3		-- Wheel Finish: Polished SS Wheel Simulators (F-550)	1	AEV
01-FM-DL01	S < >	-- Cab Door Locks: Power	1	AEV
		NOTE : OEM AUTOMATIC LOCK/UNLOCK WHEN VEHICLE IS PLACED IN PARK / DRIVE IS TO BE DISENGAGED AT DEALERSHIP		
01-FM-DTRL		-- Daytime Running Lights: Ford OEM	1	AEV
01-FM-DTRQ	>	-- Ford F series High center mount brake light ordered with chassis	1	AEV
01-FM-TIR3		-- Tires: F-4/550, All season, Random Mk 225/70 R19.5, LR F	1	AEV
01-OE-47LF	>	-- 47L - Ambulance Prep Package - F-Series	1	AEV
01-OE-47A4		-- Throttle: Ford High Idle	1	AEV
01-OE-47A5		-- Alternators Dual (OEM) Motorcraft Ford 67B 2017+ Ford F superduty	1	AEV
01-RR-05B4		-- Radio, F-series: OEM AM/FM/CD, w/ 4 cab speakers	1	AEV
01-SY-0000	>	-- Ford SYNC installed 91N	1	AEV
03-EA-47PR	< >	-- Side Mirrors, OEM:(F-Series) Pwr glass, Heated, Manual Telescopic W/ convex	1	AEV
		XLT version mirrors		
		Manually telescoping, folding trailer tow mirrors.		
		Power adjustment of main section		
		Heated glass, heated convex spotter mirror.		
		Integrated clearance lamps with halo turn signals.		
04-SU-1729	XS < >	-- Rear Suspension: F-550 Liquid Spring, ILOS 2017+ *NOTE: If Oxygen Lift is installed, then if the O2 Cmpt Door is open, the kneeling suspension will not dump until door is closed* Part; SUSP-DS147FS3 Rated for 13,660 GAWR	1	AEV
		NOTE: LIQUID SPRING CONTROL HEAD TO BE MOUNTED ON TOP OF THE ADD ON CONSOLE		
01-TT-0208	<	-- ""DETAIL"" Liquid Rear Suspension Decal Install Prior to delivery, detail department is to install a Black Decal on the dash:	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
04-SU-0601		/-- Kneeling Feature: Enable Switch Located in CAB console	1	AEV
04-SU-0610		/-- Kneeling Feature: Activated by TRAILING rear access door	1	AEV
04-SU-0651		/-- Exhaust system termination point: OEM Location, Rt Rear	1	AEV
04-SU-03F6		/-- Rear Stabilize (Anti-Sway) Bar: OEM, Ford F-450/550	1	AEV
ZZ-ZZ-ZZZZ			1	AEV
		== 172 x 96 T-1 LWB Ford X-Series, Conversion - 15.005 03/21/18	1	AEV
		==		
06-EA-01FD		Tire Valve Extensions, S/S Braided, PR, Dual Rear Wheel	1	AEV
		BODY Generation 9	1	AEV
02-00-0002	XS < >	/-- Body Build Information	1	AEV
		Body Number: 11385		
		Account Manager: LOLA WALLS		
		Chassis Type : 2017 Ford, F-550 4 x 4 DRW Reg Cab, 193.3" WB, XLT Limited availability		
		Mickey Body Due Date: 05/10/18		
02-00-0003	<	/-- ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4" Unless specified as a minimum dimension.	1	AEV
02-W1-WW03	<	/-- Wheel well Closeout: Interior Smooth DA Finish Alum, Rounded Clear coated Covers must be clear coated prior to installation.	1	AEV
02-00-0010			1	AEV
02-B2-XO92		Body, Mod: Type 1 LWB, 172" x 96" x 72" Interior HR - 6" Body Drop x	1	AEV
02-00-0006		/-- Headroom: 74/72" Finished Interior - Ducted A/C	1	AEV
02-00-0010	S	/-- WIDE ISLE	1	AEV
02-B0-CC01	<	/-- Compartment Construction: STANDARD, Unless Specified Otherwise Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-SFL0	<	/-- Compt Floors: Sweep-out, even with bottom door jamb Unless Specified Otherwise.	1	AEV
02-B0-CC18		/-- Compartment Ventilation - Austin Flap style #VT-2495-A01, STD	1	AEV
02-B0-CEX2		/-- Curbside Entry Door (CSE): 84.813"H x 31.0"W X w/6" drop	1	AEV
02-B0-09B2		/-- C/S Door Check : Double Action Gas Shock	1	AEV
04-EA-09B1		/-- Door Swing Angle: Set just over 90 degrees	1	AEV
02-B0-CESL		/-- Curbside Entry Door (CSE) Location: Standard, Rearward of M-7 Compt if Optioned	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
02-B1-SWX2	<	/-- Step Well, CURBSIDE Entry Door, 2-Step Embossed Diamond Plate (2) Steps : 9" Risers x 10" Tread	1	AEV
05-IL-09X1	< >	/-- Light, Step Well: 3" Kinequip #4302S, Chrome, LED, STD Light shall come on with CS door only.	1	AEV
02-BC-0502	>	/-- Walk through, Cab Height, T1 Light Truck 2017 + Ford	1	AEV
02-BC-0700	<	/-- Cab Roof Support : 3/16" x 3" Steel Plate, Per Engineering Drawing	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
		Between cab headliner and bottom side of cab roof to prevent oil canning.		
04-00-0900	< >	/-- Threshold Transition Plate - Type I	1	AEV
		Install a transition plate at module interior, to protect bellows connection from module to cab. Material to be Aluminum.		
02-BD-0120	>	/-- Body Drop: 6" Both Sides, Ahead of Rear Wheels	1	AEV
02-X1-M149	S >	/-- M-1 Compt (LF): 67.5" H x 22.125" W x 20.0" D	1	AEV
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	AEV
04-TS-1400	>	/-- Divider, Vertical, Full compartment height, alum, Fixed	1	AEV
12-DC-GA10		-- Compartment Finish: Diamond Plate Standard	1	AEV
02-B0-CC16		-- Compartment Door Ventilation - small punched half moon Louvered Door	1	AEV
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV
02-BC-10A5		-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1	AEV
05-EL-40X1	<	-- Light, Compt, LED, M-1 (LF): Intertek Model No ZY-156-LEDC, STD MTB Note: 1" Hole, Centered in Compartment ceiling	1	AEV
08-B1-02LI		-- Prep for 02 Lift: NONE	1	AEV
09-ZZ-ZZZZ		--	1	AEV
02-X1-M1AD	>	-- M-1A Comp (LF Upper):72 HR, 17.56" H x 22.125" W x 20.0" D	1	AEV
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	AEV
12-DC-GA10		-- Compartment Finish: Diamond Plate Standard	1	AEV
02-B0-CC16		-- Compartment Door Ventilation - small punched half moon Louvered Door	1	AEV
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV
02-BC-10A0		-- Compartment Door: SINGLE DOOR, 1-point Latch	1	AEV
05-EL-40XB	<	-- Light, Compt, LED, M-1A (LF Upper): Intertek Model No ZY-156-LEDC, STD MTB Note: 1" Hole, Centered in Compartment ceiling	1	AEV
12-ZZ-ZZZZ		--	1	AEV
02-X1-M275	S >	/-- M-2 Compt (LFM): 40.5 x 49.875" W x 18.0" D	1	AEV
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
12-DC-GA10		-- Compartment Finish: Diamond Plate Standard	1	AEV
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV
02-B1-BIOX	S <	 -- CUSTOM BOX OUT FOR SSCOR	1	AEV
		NOTE TO MICKEY: CUSTOM BOX OUT. SEE DRAWING.		
05-HA-1310		 -- Condenser, 12V: ACC #X717, Dual Fan, Front of Module	1	AEV
04-HA-1310	< >	 -- ARCTIC WEDGE Condenser Cover: Install on Front Body over Condenser part #WEDGE-HVAC Use of the wedge is subject to engineering review and approval for Light duty Type III models. A reduction in light sizing above the wedge may be required.	1	AEV
12-B0-0002		 -- Painted Part- Painted White YZ Std	1	AEV
02-B1-ELEH		 -- Electrical Compartment : Circuit Board Storage relocated to cabinet H	1	AEV
02-BC-10D0		-- Doors, Compartment, DOUBLE DOORS (std)	1	AEV
04-TS-11D3		-- M-2 Shelf, Adjustable, Ext: .125 Alum, 2" Upward lip	1	AEV
04-TS-4010		-- Shelf Bracket: CPI 90 Deg with Slotted Holes	1	AEV
05-EL-40X2	S <	 -- Lights, (2) Compartment: Kinequip #KSLC8 8", Strip Light, M-2, STD MTB Note: No light hole required (1) CENTERED IN THE COMPARTMENT CEILING (1) MOUNTED ON THE BOTTOM OF THE SHELF	1	AEV
06-RR-13Z0		-- Standard Conduit: 1-1/2", with pull wire	1	AEV
06-RR-13O4	S	 -- CONDUIT ORIENTATION POINT: M-1A COMPARTMENT	1	AEV
06-RR-13T3		-- CONDUIT TERMINATION POINT: Behind A/A Board (Panel)	1	AEV
06-RR-13Z1		-- Additional Conduit: 1-1/2", with pull wire, Type 1 units	1	AEV
06-RR-13O1		-- CONDUIT ORIENTATION POINT: Electrical Circuit board cabinet	1	AEV
06-RR-13T2		-- CONDUIT TERMINATION POINT: Behind Driver's seat	1	AEV
09-ZZ-ZZZZ		--	1	AEV
02-X1-M379	S	 -- M-3 Compt (LR): 61.5" H x 29.0" W x 18.0" D	1	AEV
02-B0-CC02	<	 -- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-CC09		 -- Compartment Door Panel: Smooth Aluminum	1	AEV
12-DC-GA10		 -- Compartment Finish: Diamond Plate Standard	1	AEV
02-B0-SWFL		 -- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV
02-BC-10A5	S <	 -- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch NOTE : M3 COMPARTMENT TO OPEN 110 DEGREES	1	AEV
04-AS-0720	S <	 -- Stair Chair Bracket: Installed on Compt Door CUSTOM DRAWINGS PROVIDED BY STEVE RING AND ARE ON FILE 16OF20119XW M-3 CPOMPARTMENT_TANEY-REV-E TO BE WELDED LIKE TANEY	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
		REQUESTS A LIP AROUND SHELF TO SECURE STAIR CHAIR		
		MOLD 2 SUPPORT CROSS MEMBERS TO M-3 DOOR JAM PRIOR TO ATTACHING STAIR CHAIR STORAGE		
		PHOTOS ON FILE 14OD18152 & 15OD19187 TANEY CO		
04-TS-11B4	S <	<p><i>/-- (2) Shelves, Adjustable, Ext: .125 Aluminum, 2" Upward Lips IATS</i></p> <p>LOWER SHELF WILL BE 1/2 DEPTH DUE TO STAIR CHAIR STORAGE ON THE COMPARTMENT DOOR</p>	1	AEV
04-TS-4010		<i>/-- Shelf Bracket: CPI 90 Deg with Slotted Holes</i>	2	AEV
04-TS-STR3	S <	<p><i>/-- Strap: 2" Webb, w/ Chrome Metal Seatbelt buckle w footman loops</i></p> <p>This strap is to secure things from moving while the vehicle is in motion, and is not designed to be a crash stable securing device.</p> <p>ON THE DOOR OF THE M-3 COMPT STRAP TO BE MOUNTED 30" UP FROM BOTTOM OF COMPT DOOR THE M-3 COMPT STRAP TO BE 35" IN LENGTH</p>	1	AEV
04-TS-STR2		<i>/-- 2" Footman Loops: Locate back from jamb</i>	1	AEV
11-X0-0026	<	<p><i>/-- Stowage label - 2 inch Strap Seatbelt Matl /Seatbelt buckle w/loops 20lbs</i></p> <p>A label shall be applied near the seatbelt material strap restraint with seatbelt buckle with footman loops that are installed indicating it's ability to restrain 20 pounds. The operator should not exceed the 20 pound weight rating.</p>	1	AEV
05-EL-40X3	<	<p><i>/-- Light, Compt, LED, M-3 (LR): Intertek Model No ZY-156-LEDC, STD</i></p> <p>MTB Note: 1" Hole, Centered in Compartment ceiling</p>	1	AEV
05-EL-49X2	S <	<p><i>/-- Light, Compartment: LED, Intertek X-Series, IATS</i></p> <p>MTB Note: No light hole required</p> <p>NOTE: BELOW EACH SHELF ON BOTTOM OF EACH SHELF</p> <p>ADD IV HOOK-07 AND AMP CONNECTOR TO THE BOTTOM OF EACH SHELF M-3 & M-7 COMPT LIGHTS TO FUNCTION WITH DAY BRIGHT LIGHTS</p> <p>NOTE: ALL CABINET LIGHTS TO FUNCTION WITH CHECK OUT TIMER</p>	2	AEV
09-MH-08A3	S <	<p><i>/-- HOOK 07 2 TOTAL</i></p> <p>ADD IV HOOK -07 AMD AMP CONNECTORS TO THE BOTTOM OF EACH SHELF</p>	2	AEV

PART NO	S	DESCRIPTION	QTY	ID
09-MH-08P3	S	/--	2	AEV
09-ZZ-ZZZZ		/--	1	AEV
02-X1-M574	S <	/-- M-5 Compt (RR): 72 HR, 82.812" H x 21"W x 21.5" D	1	AEV
		NOTE TO MICKEY : ADDITIONAL CEILING VENTING TO THE M-5 COMPARTMENT IATS		
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	AEV
12-DC-GA10		-- Compartment Finish: Diamond Plate Standard	1	AEV
02-B0-CC12	<	-- Compartment Ventilation - Compartment Ceiling O O O O	1	AEV
		MTB NOTE: Specified compartments shall have a hat channel at the ceiling level. The hat channel shall run to no closer than 1" from the compartment side walls to allow for air exchange. Hidden from view, shall be two to three, (4") holes above the hat channel to exhaust the compartment air when the door is closed to allow it to close with minimal effort.		
02-B0-CC16		-- Compartment Door Ventilation - small punched half moon Louvered Door	1	AEV
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV
02-BC-10A5		-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1	AEV
04-TS-17M5	S <	/-- M-5 Dividers, FIXED, 14x60 H, (1) FIXED SHELF, (1) ADJ SHELF	1	AEV
		BOTTOM OF SHELF TO BE 42" FROM COMPT FLOOR		
04-TS-1001		-- Divider Material: .125 Aluminum Sheet	1	AEV
04-TS-STR1	S <	/-- Strap: 2" Webb, w/ Chrome Metal Seatbelt buckle footman loops	1	AEV
		This strap is to secure things from moving while the vehicle is in motion.		
		ONE STRAP LOCATED FROM WALL #1 TO DIVIDER BELOW SHELF AREA		
04-TS-20RB	S < >	/-- Retainer Bar: Installed In Exterior Compartment Each	1	AEV
		ADD RETAINER BAR IN M5 LOCATE 66" FROM THE COMPARTMENT FLOOR, FROM WALL 1 TO DIVIDER		
04-TS-STR2	S <	/-- 2" Footman Loops: Locate back from jamb	1	AEV
		1 STRAP LOCATED FROM THE DIVIDER TO WALL #3 BELOW THE SHELF. 22" FROM COMPARTMENT FLOOR		
11-X0-0026	<	-- Stowage label - 2 inch Strap Seatbelt Matl /Seatbelt buckle w/loops 20lbs	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
		A label shall be applied near the seatbelt material strap restraint with seatbelt buckle with footman loops that are installed indicating it's ability to restrain 20 pounds. The operator should not exceed the 20 pound weight rating.		
05-EL-40X5	<	-- Light, Compt, LED, M-5 (RR): Intertek Model No ZY-156-LEDC, STD MTB Note: 1" Hole, Centered in Compartment ceiling	1	AEV
05-EL-49X2	S <	 -- Light, Compartment: LED, Intertek X-Series, IATS MTB Note: No light hole required	1	AEV
TO BE MOUNTED ON THE BOTTOM OF THE SHELF				
09-ZZ-ZZZZ		--	1	AEV
02-X1-M675	S >	 -- M-6 Compt (RRFwd): 19.0" H x 11.5" W x 18"D	1	AEV
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	AEV
12-DC-GA10		-- Compartment Finish: Diamond Plate Standard	1	AEV
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV
02-BC-10A0		-- Compartment Door: SINGLE DOOR, 1-point Latch	1	AEV
05-EL-40X6	<	-- Light, Compt, LED, M-6 (RRF): Intertek Model No ZY-156-LEDC, STD MTB Note: 1" Hole, Centered in Compartment ceiling	1	AEV
09-ZZ-ZZZZ		--	1	AEV
02-X1-M775	S >	 -- M-7 Compt (RF): 72 HR, 67.5" H x 25.25" W, I/O 21" BELOW FLOOR LINE	1	AEV
02-BC-10A5		-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1	AEV
05-EL-49X6	S <	 -- Light, Cmpnt: Vista LED Rope Style #FSW1F, ILOS X-Series units MTB Note: No light hole required	1	AEV
M-3 & M-7 COMPT LIGHTS ARE TO FUNCTION WITH DAY BRIGHT LIGHTS NOTE : ALL CABINET LIGHTS TO FUNCTION WITH CHECK OUT TIMER				
ADD RAMPS TO THE SHLEVES IN THE M7 COMPT (RF ALS) RAMPS ADDED ONLY TO THE SIDE OF THE SHELVES THAT ARE ACCESSABLE FROM THE M7 DOOR				
12-ZZ-ZZZZ		--	1	AEV
02-X1-M888		-- M-8 Drawer (RF): NONE. Batteries Under Hood	1	AEV
05-ZZ-ZZZZ		--	1	AEV
02-X1-RA02	S < >	 -- Rear Access Doors: 50.75" Wide x 60.625" High NOTE: WIDE ISLE	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
09-IN-3STX	<	-- Insulation: All Module Doors, 2" Black Foam, X-Series units #INSU-ARM2	1	AEV
09-IN-3STY	<	-- Insulation: All Module Doors, Black Sound Proofing, X-Series units #INSU-KSU	1	AEV
ZZ-ZZ-ZZZZ	--		1	AEV
WELDING - CELL 1				
04-AS-06A0	<	Fuel Fill: CPI C1045, Open Housing, Polished Bezel - (Std) Part No: HOUS-1045	1	AEV
04-AS-0200	<	 -- Fuel over Fill protection plate: Diamond plate 12" Wide diamond plate shield shall be contoured to fit under the fuel filler housing.	1	AEV
04-AS-0801		Urea Fill: CPI FG5301-1 Inlet Housing	1	AEV
04-AS-0420	<	 -- DEF over fill protection plate: Diamond plate 9-1/2" Wide diamond plate shield shall be contoured to fit under the filler housing.	1	AEV
04-AS-0370		-- Wire/Hose Cover : Diamond Plate, Between Cab & Module	1	AEV
ZZ-ZZ-ZZZZ	--		1	AEV
04-BW-ABY1	< >	-- Bumper, Rear: X-Series 96" Wide w/ Embossed D/P Pontoon Covers X-Series Design. Purchasing NOTE : Special Order Delete standard rear bumper assembly from Mickey Body	1	AEV
04-BW-FLIT		-- Step, Center: 2" x 9" Grip strut, flip-up, recessed	1	AEV
04-EA-1305		 -- Dock Bumpers: Rubber U-Shape, 3 3/8" H x 12" W x 2 1/8" Thick	1	AEV
04-BW-AF19		-- Fenders, Rear: Polished Aluminum	1	AEV
04-BW-DN00		-- Corner Caps "X Series:	1	AEV
04-BW-DN23	<	-- Front Corner Caps: 24.0" High, Alum Diamond Plate NOTE: Standard Front Corner Caps from Mickey Body	1	AEV
04-BW-DN33	< >	-- Rear Corner Caps: 24" High, Polished Diamond Plate, X-Series Purchasing NOTE : Special Order from CCP. Delete standard rear corner caps from MTB	1	AEV
ZZ-ZZ-ZZZZ	--		1	AEV
04-BW-DP2A	< >	-- Rear Kick Plate: Aluminum D/P, Recessed, X-Series STD Purchasing NOTE : Special Order from CCP. Delete standard rear kick-plate from Mickey Body	1	AEV
04-BW-TA03	>	-- Recessed Tag Area: Polished Aluminum Diamond Plate	1	AEV
04-BW-TA04		-- Location: Centered in the kick plate	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
05-EL-44TN		-- Tag Light: Kinequip LED #132703C	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
05-EL-44XL	<	-- Rear Flip up Step Lights, (2), Kinequip LED Strip light #KFL-SLC8 Mounted above rear bumper flip up step, in kick-plate recess	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
04-BW-DP93	<	-- Front Stone Guards: 24.0" High, Alum Diamond Plate If there is a body drop, add the appropriate height to Stone Guards.	1	AEV
04-BW-DPY2	< >	-- Skirt Rails: Polished D/P, w/ Kinequip Strip Lights, X-series STD X-Series Design has (12) LITE-KSLC8 lights Purchasing NOTE : Special Order from CCP. Delete standard skirt rails from Mickey Body	1	AEV
05-EL-SKX1	<	-- Skirt rail Lights, Front Pair (1) Each side, forward position, in front skirt rail	1	AEV
05-EL-SKUX	< >	-- (2) Skirt rail LED Strip Lights, Kinequip KFL-SLRC8, Red/White NOTE: Mount Red On TOP and Clear on Bottom	1	AEV
05-EL-SKX2	<	-- Skirt rail Lights, Middle Pair (1) Each side, rear position, in front skirt rail	1	AEV
05-EL-SKUX	< >	-- (2) Skirt rail LED Strip Lights, Kinequip KFL-SLRC8, Red/White NOTE: Mount Red On TOP and Clear on Bottom	1	AEV
05-EL-SKX3	<	-- Skirt rail Lights, Rear Pair (1) Each side, in rear skirt rail	1	AEV
05-EL-SKUX	< >	-- (2) Skirt rail LED Strip Lights, Kinequip KFL-SLRC8, Red/White NOTE: Mount Red On TOP and Clear on Bottom	1	AEV
05-EL-SKZ1		-- Skirt rail Lights Switched: Separate Switch in the Cab console	1	AEV
05-EL-SLGX	S	-- LED Ground Lights : (6) Kinequip White 8" LED lights, In Skirt rails	1	AEV
05-EL-SLGY	S <	-- LED Ground Lights Switched: IN PARK W/HEAD LIGHTS ON	1	AEV
04-DE-0010		-- Rear Deflector: NONE	1	AEV
04-EA-09A0		(2) Rear Door Hold Opens: Grabber Style, each door	1	AEV
04-EA-14X5	< >	Running Boards: Embossed D/P, Bar-Grate Insert, X Series - 2 Door X-STD F 2017 Bar grate insert 16" long BOAR-XF2017	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
04-EA-1122	S <	/-- Mud Flaps Front: OEM Part# FLAP-M02	1	AEV
04-EA-1132	<	-- Mud Flaps Rear: Modular, Rubber AEV LOGO Part# FLAP-M01	1	AEV
05-EL-39X4	S < >	/-- Lights, Cab Step: 2" White LED , surface mount on box front, (#TOCOACCR) - x ser Chrome Flange Activate by Cab Doors. Constant Hot. (2) LITE-TOC (2) Lite-TFLANGEC CAB STEP LIGHTS ONLY TO ACTIVATE WITH DOORS OPEN, NOT WITH WARNING LIGHTS	1	AEV
ZZ-ZZ-ZZZZ	--	EXTERIOR LIGHTING / HEAT/AC / INSULATION - CELL 2	1	AEV
05-EL-1800		CORNER CAP LED ICC/WARNING LIGHTS	1	AEV
05-EL-18F0		-- Front Corner Cap LED ICC/Warning Lights: Warnings RED/WHITE	1	AEV
05-EL-18F1	< >	-- Front Center ICC Lts: (3) AMBER Kinequip LED No 112401A, Switch w/ Headlights.	1	AEV
ZZ-ZZ-ZZZZ	--		1	AEV
05-EL-18R5		-- Rear Corner Cap LED ICC/Warning Lights: Warnings RED/AMBER	1	AEV
05-EL-18R1	< >	-- Rear Center ICC Lts: (3) RED Kinequip LED No 112401R Switch w/ Headlights	1	AEV
ZZ-ZZ-ZZZZ	--		1	AEV
06-SW-CC01		-- ICC Warning Lights Switched: Primary Only	1	AEV
ZZ-ZZ-ZZZZ	--		1	AEV
05-EL-2503	S <	LED Lights, Patient on Board, X-Series Units Install lights in the following locations :	1	AEV
		M-1A Compartment - On Door panel, Outer lower corner		
		M-1 Compartment - On Door panel, Outer Edge, Centered Top to Bottom		
		M-2 Compartment - On Forward Door panel, Upper outer corner		
		M-2 Compartment - On Trailing Door exterior, Upper outer corner		
		M-3 Compartment - On Door panel, Outer Edge, Centered Top to Bottom		
		M-5 Compartment - On Door panel, Outer Edge, Centered Top to Bottom		
		M-6 Compartment - On Door panel, Outer lower corner		
		M-7 Compartment - On Door panel, Outer Edge, Centered Top to Bottom		
		C/S Entry Door - Below Center panel, Outer Edge		
		Rear Entry Doors - (1) each door, Below Center panel, Outer Edge		

PART NO	S	DESCRIPTION	QTY	ID
A Total of (11) Lights				
05-EL-252C		-- Red/White LED POB Light, Kinequip Each, X-Series Units	11	AEV
05-EL-256X		-- Lights Switched with Entry Door Switch	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
05-EL-2601	S <	Auxiliary (Fog / Driving) Lights: PRE-WIRE w/ Sw in console Tag: "Fog lights" 36" tail behind front bumper.	1	AEV
NOTE; MAKE SURE GROUNDS ARE RAN WITH EACH FOG LIGHT WIRE				
05-EL-3S10		-- Input Switching: Ignition/Battery Switch	1	AEV
05-EL-42XX		TAIL LIGHTS	1	AEV
05-EL-23X2	>	-- Tail Lights, Whelen LED Combinations , STD, X-Series	1	AEV
05-EL-19ML		-- Side Marker Lights: (2) RED Whelen LED #20R00XRR, 4" Round	1	AEV
05-EL-2414		-- Whelen M6 Series, Tail Lights	1	AEV
05-EL-2420		-- Stop/Tail, Whelen M6 Series, LED, Pair	1	AEV
05-EL-2426		-- Turn, Whelen M6 Series, LED, Pair	1	AEV
05-EL-2432		-- Back up, Whelen M6 Series, LED, Pair	1	AEV
05-PH-LF24		-- M6 Series Flange, Chrome Plated, Std: Three Pair	1	AEV
06-EC-4326		-- Note: Standard Back-up Alarm Installed	1	AEV
06-EC-4331		-- Access Panel: NONE Required	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
05-EL-4301	S <	Patient Area Turn/Stop Strip Light Indicator: Kinequip #KSLRA8 LOCATION: Inside, Over Rear Doors on Rear Header Pad	1	AEV
MOUNTED OVER THE CLOCK				
05-EL-43SR	<	Third (3rd) Brake Light: Kinequip KFL-3BLO1 LED LOCATION: Over Rear Access Doors. Do not cut traditional hole. Just screw and wire holes required.	1	AEV
05-EL-43T2		-- Light is to steady burn, no flash	1	AEV
05-EL-4584	>	SCENE/FLOOD LIGHTS (LED-M9 Series)	1	AEV
05-EL-45L4	<	-- Left Scene Lights: (2) LED-M9, Whelen Chrome Flange provided with purchase of Light.	1	AEV
05-EL-0224		-- Flanges: Above M9 Scene lights, Incorporated into lights	1	AEV
06-EL-18LF		-- Left Flood Activate: Left Flood Switch	1	AEV
05-EL-45T4	<	-- Right Scene Lights: (2) LED-M9, Whelen Chrome Flange provided with purchase of Light.	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
05-EL-0224		/-- Flanges: Above M9 Scene lights, Incorporated into lights	1	AEV
06-EL-18RT		/-- Right Flood Activate: Right Flood Switch and open CSE	1	AEV
		Door		
05-EL-46R4	S <	/-- Rear Load Lights: (2) LED-M9, Whelen Chrome Flange provided with purchase of Light.	1	AEV
05-EL-0224		/-- Flanges: Above M9 Scene lights, Incorporated into lights	1	AEV
06-EL-18RE		/-- Activate: Rear Flood Switch, Reverse and Lead RA Door	1	AEV
06-EL-1800		/-- Add Activation: Rearward Left and Right scene lights. come on w/ Reverse	1	AEV
05-HA-13XF	S >	HVAC SYSTEM: ACC Hepa-Max, Ducted in Ceiling - Above Walk-Thru Ford	1	AEV
05-HA-0401	<	/-- Water Pump: Additional - to improve heater performance Suggested F-series This pump shall be installed in-line and shall come on with the heat switch position.	1	AEV
05-HA-070X		/-- FILTER, Return Air: HEPA	1	AEV
05-HA-1306		/-- A/C Condenser: See M2 Cmpt for Condenser Information	1	AEV
05-HA-14A0		/-- Side Plenum Grille, Return Air: Stamped Powder Coated Steel	1	AEV
05-HA-14C0	>	/-- AC COMPRESSOR: Tee into OEM	1	AEV
05-HA-14C1	<	/-- AC Compressor, 2nd AC installed by ACC 2017F-Series Vehicle transported to facility for 2nd AC compressor, Bracket, Drive belt and installation. Coordinate with engineering at earliest opportunity prior to production assembly start	1	AEV
05-HA-14QX		/-- AC Evaporator: ACC (AC/Heat unit) w/ dual fans, "X" STD	1	AEV
05-HA-1404		/-- Heater Hoses: EPDM - Nomex Rubber (per Ford QVM)	1	AEV
05-HA-14A0		/-- Side Plenum Grille, Return Air: Stamped Powder Coated Steel	1	AEV
05-HA-14B1		/-- Filter, Washable Carbon Pre-Filter	1	AEV
10-HA-0304	<	/-- Thermostat, Rear A/C, Digital, Class 1 LX-1, Includes Front Also Thermostat located in A/A as part of LX1 Multiplexed System	1	AEV
05-IL-00X1	<	Ceiling Panels; white Aluminum Composite (2) piece X series MATL-CEILING	1	AEV
05-IL-01XR	<	/-- Dome Lts, LED "LIGHT RAIL" system MTB NOTE: Requires X-Series Roof Structure design	1	AEV
05-IL-05T4	S <	/-- Check out Light Switch: Momentary For LX-1 electrical systems. LOCATED AT HEAD OF SQUAD BENCH AREA ALL CABINETS LIGHTS TO WORK WITH CHECKOUT TIMER	1	AEV
05-IL-05T1	S < >	/-- Timer, Constant Hot, Check out, Class 1 Activated with opening of either C/S or Rear Entry Doors.	1	AEV
06-EC-0914	<	/-- 15 Minute Activation Light Circuit to stay on for 15 minutes when entry door is opened.	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
06-EC-09P1	S <	/-- Timer to Power: ALL CENTER PAD LIGHTS MEDIUM INTENSITY	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
06-RR-0700		/-- (2) Speakers: Stereo, patient compartment, in center pad	1	AEV
10-RR-0600		/-- Volume Control, Stereo: in A/A, For Rear speakers	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
09-MH-08A1		/-- IV Hook No 1: Hook 07 w/ Velcro bag stabilizer - STD	1	AEV
29-MH-1000		-- LOCATION: Over head/chest area, primary patient on COT	1	AEV
09-MH-08A2		/-- IV Hook No 2: Hook 07 w/ Velcro bag stabilizer - STD	1	AEV
09-MH-08P2		-- LOCATION: Over head/chest area, secondary patient on S/B	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
09-MH-0803		/-- IV Hook No 3: CPI Rubber IV 2008-1(Recessed Mount), IATS	1	AEV
09-MH-08P3		-- LOCATION: Over Knee/Waist area, primary patient on COT	1	AEV
09-MH-0804		/-- IV Hook No 4: CPI Rubber IV 2008-1(Recessed Mount), IATS	1	AEV
09-MH-08P4		-- LOCATION: Over Knee/Waist area, secondary patient on S/B	1	AEV
09-MH-2AC6	<	/-- Recessed C/S Grab Rail, ceiling: 1.25 Dia..... 3 pt, 72in, Yellow Antimicrobial Grab Rail will be recessed in a ABS pan.	1	AEV
09-MH-2AYX	<	/-- Recessed S/S Grab Rail, ceiling: 1.25 Dia..... 3 pt, 72in, Yellow Antimicrobial Grab Rail will be recessed in a ABS pan.	1	AEV
	S < >	Insulation PKG: X-Series units	1	AEV
		DEALER REQUESTS :		
		SOUND DEADEDNING NEEDS TO COVER ENTIRE TOP AND SIDES OF THE WHEEL WELL PRIOR TO ADDING THE INTERIOR WHEEL WELL COVER TO REDUCE NOISE		
05-IN-3STX	<	-- Insulation: All Module Doors, 2" Black Foam, X-Series units #INSU-ARM2	1	AEV
05-IN-3STY	<	-- Insulation: All Module Doors, Black Sound Proofing, X-Series units #INSU-KSU	1	AEV
05-IN-4ST9	<	/-- Insulation Sound Deadening: Generation 9 Floor Generation 9 Floor Design INSU-KSUF	1	AEV
05-IN-5STX	<	-- Insulation: Walls/Ceiling, 1" Black Foam, X-Series units #INSU-ARM1	1	AEV
05-IN-6STX	<	-- Stepwell Insulation: Urethane Froth Insulation, STD X-Series units MTB to spray urethane froth insulation, underside of step well area MTB option #7208738	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
05-IN-6SXS	<	-- Black Sound Proofing, Doors & Select Walls, X-Series units INSU-KSU	1	AEV
05-IN-6SXT	<	-- Insulation: Circumferential PKG, 1LEF Reflective, X-Series units #KSU-F1250	1	AEV
05-LB-6100	S < >	-- Light Bar Alternative, (4) Across Front, 92" or wider In Addition to Standard Front Three (3) Body Warning Lights. Seven (7) Total Lights Across Front of Body. R-B-R-C-R-B-R PROGRAM # 111-141-111-150-111-141-111	1	AEV
05-LB-6230		-- Front of Module M Series LED System - All Bodies	1	AEV
05-LB-6614		-- Whelen, M9 Series LED Pair	1	AEV
05-LB-6897		-- Flasher for LED front of module: None	1	AEV
05-PM-LT05		-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable iats	2	AEV
05-PH-LF10		-- M9 Series Flange, Chrome Plated, Std. Each	2	AEV
05-PL-LY54		-- LED Color for Above M9 LED : RED	2	AEV
05-PM-LV10		-- Lens Color: Clear	2	AEV
25-PH-LT84		-- LED Lights: Programmable, Single Light	2	AEV
05-PM-LT16		-- Light: Whelen M9, LED, BLUE LED/CLEAR Lens, Programmable IATS	2	AEV
05-PH-LF10		-- M9 Series Flange, Chrome Plated, Std. Each	2	AEV
05-PL-LY58		-- LED Color for Above M9 LED : BLUE	2	AEV
05-PM-LV10		-- Lens Color: Clear	2	AEV
25-PH-LT84		-- LED Lights: Programmable, Single Light	2	AEV
05-LB-6900		-- Alternative Lightbar Switching, Prim/Sec	1	AEV
05-PA-LB0B		-- Rear Light Bar: NONE	1	AEV
05-PA-LB3I	S < >	-- TRAFFIC ADVISOR LIGHTS : 7 - FEDERAL MICROPULSE MPSW9-AMBER LED >> May require adjustment in size of rear load lights or other components. Light heads to be evenly spaced above the rear entry doors. 7 Individual Federal Micro Pulse Lights	1	AEV
05-PA-LB3J	S < >	-- Traffic Advisor Controller: PDM THROUGH LX-1 SYSTEM Control head for directional lighting applications. Mount in chassis cab front console CONT-TACTLD1	1	AEV
05-PA-LBM2	>	-- LOCATION: Mount over rear door above load lights	1	AEV
05-PL-LW11	S <	-- Federal Micro Pulse MPSW9-A LED AMBER IATS (1) Federal MPSW9-A Amber LED with clear lens, Chrome flange surface mount. (1) LITE-MPSW9A FEDERAL MPSW9A LED WITH CLEAR LENSE CHROME FLANGE SURFACE MOUNT	7	AEV

PART NO	S	DESCRIPTION	QTY	ID
SET LIGHTS TO STEADY BURN				
SWITCH IN CONSOLE TO MAKE THEM FLASH WITH EMG MASTER OFF				
05-PL-LX00		-- Lens color for Above LED Light to be: Clear	7	AEV
05-SY-LTMF		> M SERIES LED WARNING LT SYSTEM - F-series LTD	1	AEV
05-FS-0712		-- Flasher: None, All M Series LED's Are Programmable	1	AEV
05-FS-10P4		-- Flash Pattern: None, Internal Light Head Flasher	1	AEV
06-SW-PS01		-- Warning Light SWITCH: center console, Primary / Secondary	1	AEV
ZE-00-0010	S <	-- This will be the Default Flash unless otherwise specified.	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
05-PM-LC10	S <	-- (4) Grille Lights: FEDERAL ALL TO HAVE CHROME FLANGES (1) RED (1) BLUE (2) CLEAR	1	AEV
05-PL-LW14	S <	-- Federal Micro Pulse MPSW9-R LED Red ILOS (1) Federal MPSW9-R Red LED with clear lens, Chrome flange surface mount. (1) LITE-MPSW9R	1	AEV
05-PL-LX00		-- Lens color for Above LED Light to be: Clear	1	AEV
05-PL-LW18	S <	-- Federal Micro Pulse MPSW9-B LED BLUE ILOS (1) Federal MPSW9-B Blue LED with clear lens, Chrome flange surface mount. (1) LITE-MPS???	1	AEV
05-PL-LX00		-- Lens color for Above LED Light to be: Clear	1	AEV
05-PL-LW23	S <	-- Federal Micro Pulse MPSW9-C LED CLEAR IATS (1) Federal MPSW9-C Clear LED with clear lens, Chrome flange surface mount. (1) LITE-MPSW9W	2	AEV
05-PL-LX00		-- Lens color for Above LED Light to be: Clear	2	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
05-PM-LE52	S <	-- (2) Intersection Lights: Whelen M7 Series, LED F series PROGRAM #150	1	AEV
05-PM-LN14		-- Flanges, Chrome : Intersection M7	1	AEV
05-PM-LR25		-- LED M7 Red - Pair	1	AEV
05-PM-LRAD		-- Light, Whelen LED M7 Red LED/Clear Lens - Programmable each	2	AEV
05-PL-LY04		-- LED Color for Above M7 LED : RED	2	AEV
05-PM-LV10		-- Lens Color: Clear	2	AEV

PART NO	S	DESCRIPTION	QTY	ID
25-PH-LT84		/-- LED Lights: Programmable, Single Light	2	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
05-PM-LF70		/-- (1) Center Front Body Light: Whelen M9 Series, LED	1	AEV
05-PH-LF10		/-- M9 Series Flange, Chrome Plated, Std. Each	1	AEV
05-PM-LS02		/-- LED M9 White - Each	1	AEV
05-PM-LRK1	S <	/-- Light: Whelen M9, LED, WHITE LED/CLEAR Lens, Programmable ea ilos PROGRAM # 150	1	AEV
05-PL-LY52		/-- LED Color for Above M9 LED : WHITE	1	AEV
05-PM-LV10		/-- Lens Color: Clear	1	AEV
25-PH-LT84		/-- LED Lights: Programmable, Single Light	1	AEV
05-PM-LG70		/-- (2) Outer Front Body Lights: Whelen M9 Series, LED	1	AEV
05-PH-LF12		/-- M9 Series Flange Chrome Plated, Std: Pair	1	AEV
05-PM-LS24		/-- LED M9 Red - Pair	1	AEV
05-PM-LRK3	S <	/-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable ILOS PROGRAM #111	2	AEV
05-PL-LY54		/-- LED Color for Above M9 LED : RED	2	AEV
05-PM-LV10		/-- Lens Color: Clear	2	AEV
25-PH-LT84		/-- LED Lights: Programmable, Single Light	2	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
05-PM-LH70	S <	/-- (4) Upper Side Body Lights: Whelen M9 Series, LED BLUE AT THE FRONT OF THE BOX #141 RED AT THE REAR OF THE BOX #150	1	AEV
05-PH-LF14		/-- M9 Series Flange, Chrome Plated, Std: Two Pair	1	AEV
05-PM-LS58		/-- LED M9 Red - One Pair & Blue - One Pair	1	AEV
05-PM-LRK3		/-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable ILOS	2	AEV
05-PL-LY54		/-- LED Color for Above M9 LED : RED	2	AEV
05-PM-LV10		/-- Lens Color: Clear	2	AEV
25-PH-LT84		/-- LED Lights: Programmable, Single Light	2	AEV
05-PM-LRL2		/-- Light: Whelen M9, LED, BLUE LED/CLEAR Lens, Programmable ILOS	2	AEV
05-PL-LY58		/-- LED Color for Above M9 LED : BLUE	2	AEV
05-PM-LV10		/-- Lens Color: Clear	2	AEV
25-PH-LT84		/-- LED Lights: Programmable, Single Light	2	AEV
05-PM-LI50		/-- (2) Rear Intersection Lights: Whelen M7 Series, LED	1	AEV
05-PH-LF22		/-- M7 Series Flange, Chrome Plated, Std: Each	2	AEV
05-PM-LR26		/-- LED M7 Amber - Pair	1	AEV
05-PM-LRA6	S <	/-- Light, Whelen LED M7 Amber LED/Clear Lens - Non-Programmable TO WORK AS TURNS WHEN WARNING LIGHTS ARE OFF	2	AEV
05-PH-LF22		/-- M7 Series Flange, Chrome Plated, Std: Each	2	AEV
05-PL-LY06		/-- LED Color for Above M7 LED : AMBER	2	AEV
05-PM-LV10		/-- Lens Color: Clear	2	AEV
05-PM-LJ70		/-- (2) Outer Rear Body Lights: Whelen M9 Series, LED	1	AEV
05-PH-LF12		/-- M9 Series Flange Chrome Plated, Std: Pair	1	AEV
05-PM-LS24		/-- LED M9 Red - Pair	1	AEV
05-PM-LRK3	S <	/-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable ILOS	2	AEV

PART NO	S	DESCRIPTION	QTY	ID
PROGRAM # 141				
05-PL-LY54		/-- LED Color for Above M9 LED : RED	2	AEV
05-PM-LV10		/-- Lens Color: Clear	2	AEV
25-PH-LT84		/-- LED Lights: Programmable, Single Light	2	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
05-PM-LK70		/-- (2) Additional Rear Body Lights: Whelen M9 Series, LED	1	AEV
05-PH-LF12		/-- M9 Series Flange Chrome Plated, Std: Pair	1	AEV
05-PH-LT6B		/-- Location: REAR, (1) aligned w/ EACH upper window in RA doors.	1	AEV
05-PM-LT04		/-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Non-Programmable IATS	2	AEV
05-PH-LF10		/-- M9 Series Flange, Chrome Plated, Std. Each	2	AEV
05-PL-LY54		/-- LED Color for Above M9 LED : RED	2	AEV
05-PM-LV10		/-- Lens Color: Clear	2	AEV
06-EL-2497	S <	/-- Brake Light Override: Wire into rear warning lights above LX-1 elec syst. Program light as required, LX-1 system programmed: LIGHTS SHALL STEADY BURN FOR BRAKES	1	AEV
06-EL-2501		/-- Override Function: During ALL modes of operation	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
05-PM-LL30		/-- (1) Center Rear Body Light: Whelen M6 Series, LED ILOS	1	AEV
05-PH-LF20		/-- M6 Series Flange, Chrome Plated, Std: Each	1	AEV
05-PM-LQ06		/-- LED M6 Amber - Each	1	AEV
05-PM-LRG7	S <	/-- Light: Whelen M6, LED, AMBER LED/CLEAR Lens, Programmable	1	AEV
PROGRAM # 104				
05-PL-LY40		/-- LED Color for Above M6 LED : AMBER	1	AEV
05-PM-LV10		/-- Lens Color: Clear	1	AEV
25-PH-LT84		/-- LED Lights: Programmable, Single Light	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
05-PN-KPM6	S <	/-- Additional Warning Lts : (2) Whelen M6 Lights	1	AEV
PROGRAM # 153				
05-PH-LF20		/-- M6 Series Flange, Chrome Plated, Std: Each	2	AEV
05-PM-LRG7	S <	/-- Light: Whelen M6, LED, AMBER LED/CLEAR Lens, Programmable	2	AEV
PROGRAM #153				
05-PL-LY40		/-- LED Color for Above M6 LED : AMBER	2	AEV
05-PM-LV10		/-- Lens Color: Clear	2	AEV
25-PH-LT84		/-- LED Lights: Programmable, Single Light	2	AEV
05-PS-LC63	<	/-- Location: On REAR Kick plate, (1) each side Below tail lights, on rear of module	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
05-ZZ-ZZZZ			1	AEV
ELECTRICAL - CELL 3			1	AEV

PART NO	S	DESCRIPTION	QTY	ID
06-00-0004		-- Customer Supplied Part(s) : NONE	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
06-00-0001			1	AEV
06-00-0042		< > Secure Idle System Ford Super Duty Installed	1	AEV
		LOCK-BIDLE5050A		
		Kit installed by AEV with push button installed to right of steering column with labels in chassis cab.		
06-AL-4801		< Hand Held Spot Light: Eagle Eye, Rubber Housing	1	AEV
		Hook-07: Clip-onto spot light ring		
05-EL-4801	S	< -- Hardwire the light to the center console	1	AEV
		NOTE: TO BE RECESSED INTO THE PSGR SIDE OF THE CONSOLE. REF 15OF-18571XW		
06-BA-3F41		Batteries: 2 - Battery System - Type I Only	1	AEV
06-BA-3F53		-- Batteries: (2) Underhood (Type I)	1	AEV
06-BA-3FJ1		< > -- Battery Make: (2) OEM	1	AEV
		Battery Brand must match.		
06-BA-Q631		< -- Battery Switch: Cole Hersee 2484-16 Paddle, T1 center console	1	AEV
		Cole Hersee Paddle style battery switch powers up and shuts down the CONVERSION only! Chassis related circuits shall remain wired in the OEM configuration per Ford QVM Bulletin No 63.		
		SWITCH LOCATION: Drivers' side of center cab console.		
06-BA-3FW4		-- Batteries Wired: Parallel for higher amperage	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
06-EC-056C	S	< > POWER Door Locks: Module Doors, X-Series Units type 1 Ford	1	AEV
		NOTE OEM AUTOMATIC LOCK/UNLOCK WHEN VEHICLE IS PLACED IN PARK/DRIVE IS TO BE DISENGAGED AT OEM DEALERSHIP		
06-EC-050B		< -- Door Locks, Tied into OEM System X series Type 1 Ford	1	AEV
		Module power locks are tied to the Chassis power lock system MDUL-BDLM506A Module door lock control F3/4/550		
06-EC-0512		< -- OEM Key Fob: Included w/Chassis Unlock Mod Doors	1	AEV
		Must also operate the Module Power Door Locks Optional.		
06-EC-05B9		-- Door Lock Switches : Integrated in Interior Entry door Handles -x	1	AEV
06-EC-05M0		-- ONLY the following doors shall have power door locks:	1	AEV
06-EC-05X0		-- Electric Door Lock: (M-1A) Upper Left Front Compartment,	1	AEV
06-EC-05X1		-- Electric Door Lock: (M-1) Left Front Compartment	1	AEV
06-EC-05X2		-- Electric Door Lock: (M-2) Left Middle Compartment	1	AEV
06-EC-05X4		-- Electric Door Lock: (M-3) Left Rear Compartment	1	AEV
06-EC-05X6		-- Electric Door Lock: Rear Access Doors	1	AEV
06-EC-05X7		-- Electric Door Lock: (M-5) Right Rear Compartment	1	AEV
06-EC-05X9		-- Electric Door Lock: (M-6) Right Rear, Forward Compt	1	AEV
06-EC-05XA		-- Electric Door Lock: Curbside Access Door	1	AEV
06-EC-05XB		-- Electric Door Lock: (M-7) Right Front Compt	1	AEV
06-EC-081X		< -- Remote Keypad #1: Installed, X-Series Units	1	AEV
		MTB to cut mounting holes per provided drawing.		

PART NO	S	DESCRIPTION	QTY	ID
06-EC-0816		-- Location: By Curbside Door	1	AEV
06-EC-2800	< >	 -- Door Unlock Switch, Momentary, Exterior, hidden SWITCH-32L BOOT-01 NOTE: Installation of Remote Door Lock Switch feature may increase likelihood of unauthorized entry into vehicle. By checking this option, purchaser further agrees to hold REV or chassis manufacturer harmless for any loss of vehicle or contents caused by unlawful access.	1	AEV
06-EC-0802	>	 -- Location: Front Grille/Bumper Area	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
06-EC-31C8	<	 -- ASA Mirror Monitor 7" diagonal LCD up to 3 inputs with speaker Auto trigger display of backup camera.	1	AEV
06-EC-4300		Back-up Alarm: Standard	1	AEV
06-EC-43B0		-- Cut Off Switch: Auto reset ,momentary style	1	AEV
06-EC-CCX2	S < >	Circuit Board, 12V: Multiplex LX1 F3/4/550 X-Series STD Includes the Following Items, please add to order: All the following need to be added as usual: Rear Digital Thermostat/Control for A/C, includes front also Door Open 5, minute check out timer for 15 Oxygen Contents Gauge front and back. (15) Minute Auto Battery Switch Shutdown (Kill Circuit)	1	AEV
DEALER REQUESTS LX1 PANEL LAYOUT MATCH 17OF-22295XW.				
NOTE: OXYGEN ALARM TO BE SET AT 300 PSI				
06-EC-1304		-- Voltage Monitor, LX-1, w/ Warning Light	1	AEV
06-EC-31FX	S <	 -- Back Up Camera: VCCS155 ASA, Tied to LX-1 system, X-Series units Installed Exterior, Over rear doors	1	AEV
TO BE RAN THROUGH VOYAGER VOM733M/REAR VIEW MIRROR MONITOR				
ZZ-ZZ-ZZZZ		--	1	AEV
06-EC-31FW	S <	 -- Patient Area Bullet Camera: Voyager VCCYL37 (1) CAMR-VCCYL37 CABL-CEC50 Fixed position camera	1	AEV
RECESSED IN GRAB RAIL				
TO BE RAN THROUGH VOYAGER VOM733M/REAR VIEW MIRROR MONITOR				

PART NO	S	DESCRIPTION	QTY	ID
06-EC-31I2		-- Camera Mounted Toward: Rear (Faces Forward)	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
06-EC-CB07	>	-- Circuit Protection, 12V: FET - Auto-reset	1	AEV
06-EC-SPA7	XS <	-- LX1 Main Switch Panel Location : IN CAB CONSOLE	1	AEV
DEALER REQUEST CAB PANEL LAYOUT				
06-EC-SPZ0		-- Patient Area LX1 Panel:	1	AEV
06-EC-SPZ1		-- Pt Area LX1 Switch Panel: One Standard In Patient Compartment	1	AEV
06-EC-SPA1		-- Switch Panel Located: Streetside A/A	1	AEV
06-EC-SP70		-- Patient area switch panel mounted :flat to action wall std	1	AEV
06-EC-SPZA	<	-- 2nd Pt Area LX1 Switch Panel: To be Located PANL-LX1	1	AEV
06-EC-SPA3		-- Switch Panel Located: Curbside	1	AEV
06-EC-SP70	S	-- ANGLED BOX AT HEAD OF SQUAD BENCH AREA	1	AEV
06-FS-1106	>	-- Sequencer, LX1, with load manager,	1	AEV
06-RR-240X	S	-- Type I - CAB Console	1	AEV
07-RR-020F	S <	-- Add-on Console: Type 1	1	AEV
<p>THE ANGLES UPPER PORTION OF THE CONSOLE WILL HOLD THE LX-1 PANEL, AIR HORN SWITCH,AND TWO WAY RADIO HEAD</p> <p>LIQUID SPRING CONTROL PANEL MOUNTED ON TOP OF THE ADD ON WILL HAVE PADDED TOP (ARM REST) OVER THE MAP BOOK AND GLOVE SECTION RECESSED AREA ON PASS SIDE FOR SPOT LIGHT</p> <p>ALSO IN CONSOLE, THERE WILL BE A SWITCH FOR THE ARROW STICK REFERNCE 15OF18571XW</p>				
07-RR-02A0		-- Drink Holder: (2) In Cab Console, Big Gulp Size	2	AEV
07-RR-02A5	S	-- Drink Holder Location: BEHIND RADIO SIREN AREA	2	AEV
07-RR-02D0	S	-- Note Book Slot: Single - Full width by 8 1/4"	1	AEV
07-RR-02F3		-- Double removable Lexan Divider(s)	1	AEV
07-RR-2301		-- Customer Radio: Space for Customer installed Radio	1	AEV
Heads				
07-RR-2355		-- Glove Storage: (4) Glove Box Storage Across Rear of add on console	1	AEV
07-RR-24A0		-- Console Finish: Black, Textured "Easy Grip"	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-RR-24A0		-- Console Finish: Black, Textured "Easy Grip"	1	AEV
07-ZZ-ZZZZ		--	1	AEV
06-EC-GR01	<	Ground Straps, Module to Frame: (Qty 4) Braided Grind/Clean each ground site on the OEM frame to bare steel. Use 3/8" - UNC x 1 1/2", Grade 8 hex head bolts, Nuts, and external tooth lock washers. Tighten to minimum 20 Ft/Lb.	1	AEV
06-IA-0001		Converter , 125V to 12V: NONE	1	AEV
06-IG-0310	<	Inverter : Vanner 20-1050 CUL-DC - Full Mod INVE-1050DC	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
06-EC-03AS		/-- Portable Equip Charging Circuits: Included in Inverter	1	AEV
06-EC-03AA		/-- PREWIRE LOCATION: (1)Cab Console, (1) Behind A/A	1	AEV
06-EC-03C9	<	/-- Portable Equip Pwr Source: Ignition and/or Shoreline Reference 3.7.7.2 and Figure 7 in KKK-A-1822E	1	AEV
06-IG-03A0		/-- Battery Charger/Conditioner: 55A - Built into Inverter	1	AEV
06-IG-0003		/-- Built-in Battery Charger: Enable - Wire to Batteries	1	AEV
06-IG-04L7		/-- Inverter Location: M-1A (ULF) Compartment	1	AEV
06-MC-0901		Low Voltage Buzzer: Installed, Multiplex units	1	AEV
		COMMUNICATION RADIO(S) RELATED	1	AEV
06-00-0001	--		1	AEV
		RADIO POWER	1	AEV
06-EC-03A0	--	Radio Power No 1: 30A, Pos and Neg, 10 awg Wires	1	AEV
06-EC-03C0		/-- Radio Power Source: Battery (Constant) Hot	1	AEV
06-EC-03J0		/-- LOCATION: Inside Cab Center Console	1	AEV
06-EC-03A2	--	Radio Power No 2: 30A, Pos and Neg, 10 awg Wires	1	AEV
06-EC-03B0		/-- Radio Power Source: Battery Switch Hot	1	AEV
06-EC-03EN		/-- LOCATION: M-1A Compartment	1	AEV
06-EC-03A3	--	Radio Power No 3: 30A, Pos and Neg, 10 awg Wires	1	AEV
06-EC-03B0		/-- Radio Power Source: Battery Switch Hot	1	AEV
06-EC-03F0	S	/-- LOCATION: CABINET P AREA ON C/S	1	AEV
06-EC-03A4	--	Radio Power No 4: 30A, Pos and Neg, 10 awg Wires	1	AEV
06-EC-03B0		/-- Radio Power Source: Battery Switch Hot	1	AEV
06-EC-03E0		/-- LOCATION: Behind Action Area Board	1	AEV
		ANTENNA LEADS	1	AEV
06-RR-1710	<	/-- Antenna Base w/ Coaxial Cable: KE794 #1 MOUN-KE794	1	AEV
06-RR-1760	<	/-- Roof Location: Roof Port #1 MOUN-K794 Line up with edge of curbside entry door, centered side to side as near as possible.	1	AEV
06-RR-1772	<	/-- Termination Point: Inside Center Console MOUN-K794	1	AEV
06-RR-1712	<	/-- Antenna Base w/ Coaxial Cable: KE794 #2 MOUN-KE794	1	AEV
06-RR-01O2	<	/-- ORIGINATION POINT: Roof Port No 2 Roof Port No 2 is located approximately 24 inches back rearward of roof port #1.	1	AEV
06-RR-01P0		/-- Port Plate: None - Access thru center upholstery panel	1	AEV
06-RR-1774	<	/-- Termination Point: Behind A/A Board MOUN-K794	1	AEV
06-RR-1714	<	/-- Antenna Base w/ Coaxial Cable: KE794 #3 MOUN-KE794	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
06-RR-01O3	<	<i>/-- ORIGINATION POINT: Roof Port No 3</i> Roof Port No 3 is located approximately 24 inches back rearward of roof port #2.	1	AEV
06-RR-01P0		<i>/-- Port Plate: None - Access thru center upholstery panel</i>	1	AEV
06-RR-1772	<	<i>/-- Termination Point: Inside Center Console</i> MOUN-K794	1	AEV
06-RR-1809		<i>/-- Patient Area Radio : None</i>	1	AEV
06-RR-1300	S <	Conduit No 1: 1 1/2", with pull wire ADD 1 1/2" CONDUIT WITH PULL WIRE FROM ELECTRICAL CABINET TO CABINET P AREA LOCATED AT THE HEAD OF THE SQUAD BENCH	1	AEV
06-RR-1301		<i>/-- CONDUIT ORIGINATION POINT: Electrical Circuit board cabinet</i>	1	AEV
06-RR-13T2	S	<i>/-- CONDUIT TERMINATION POINT: CABINET P AREA ON C/S WALL</i>	1	AEV
06-SO-0000		125V SHORE LINE AND OUTLETS	1	AEV
06-00-0001		<i>/--</i>	1	AEV
06-SO-0500	S <	<i>/-- Shore Line Inlet: 20A BLUE SEA SURE EJECT SYSTEM</i> SURE EJECT 20 AMP SHORE LINE AND COVER. PART # 7851B SURE EJECT WITH 7820B YELLOW COVER, SHIP LOOSE 7841B PLUG. PART IS A SAMPLE ARV HAS AGREED TO INSTALL AT NO COST.	1	AEV
06-SO-00L1		<i>/-- Inlet location: Aft of Left Front compartment</i>	1	AEV
06-SO-1005	S	<i>/-- Cover, Yellow, Shore Line Inlet : 20A Super Auto Eject, STD</i>	1	AEV
ZZ-ZZ-ZZZZ		<i>/--</i>	1	AEV
06-SO-1400		<i>/-- **125 Volt OUTLETS**</i>	1	AEV
06-SO-13ZY	S <	<i>/-- USB & 125V Combo Outlet: WHITE, # LEVT5832-HGW</i> <i>Installed</i> Outlet will have Dual USB Plugs in the center and the standard 125V Plugs	4	AEV
		4 TOTAL 1 IN AA 1 IN RF ALS 1 IN TELEMTRY AREA 1 IN CURBSIDE HEAD OF SQUAD BENCH MOUNTED UNDER THE C/S CABINET THAT WILL CONTAIN THE RADIO STORAGE		
06-SO-1100		**INTERIOR 12 Volt OUTLETS**	1	AEV
06-SO-10XZ		<i>/-- 12 Volt outlets two separate single outlets</i>	1	AEV
06-SO-10Y0		<i>/-- 12V Outlet, No 1: Power Point Single - Wire thru Med Isolator</i>	1	AEV
06-SO-11L1	>	<i>/-- LOCATION: Action Area, standard location</i>	1	AEV
06-SO-14O2		<i>/-- Outlet mounting ORIENTATION: Vertical</i>	1	AEV
06-SO-1910		<i>/-- Power Source: Medical Isolator , Batt Sw Hot</i>	1	AEV
ZZ-ZZ-ZZZZ		<i>/--</i>	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
06-SO-1102		/-- 12V Outlet, No 2: Power Point - Wire thru Med Isolator	1	AEV
06-SO-11L3		/-- LOCATION: RF ALS, (See Drawing)	1	AEV
06-SO-1402		/-- Outlet mounting ORIENTATION: Vertical	1	AEV
06-SO-1913		/-- Power Source: The SAME as outlet No 1	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
06-SS-070A	< >	Siren: Whelen, WS295HFSC9, F-Series SIRE-C9	1	AEV
06-SS-SA27	<	/-- Siren Speakers:CPI: SA4327 Through the bumper 2017 F series STD (2) SPEA-4327 one on each side in the wing through the bumper	1	AEV
06-SS-SW01	< >	/-- Siren / Horn Switch: In Cab Console This standard rocker switch in the front switch panel shall select horn ring output: Siren Functions OR OEM Horn	1	AEV
06-SS-SW04		/-- microphone clip not installed Ship loose	1	AEV
06-SS-1313		Air Horn System: BUELL - F1	1	AEV
06-SS-1304	S <	/-- Air Horns ACTIVATION: Switch in Console WHITE MOMENTARY ROCKER SWITCH LOCATED IN THE CENTER CONSOLE REFERENCE : 15OF18571XW	1	AEV
06-SS-1305	>	/-- Air Tank Mounted to Frame Rail	1	AEV
06-SS-1310		/-- Emergency Master Hot	1	AEV
06-SS-1340		/-- Compressor: Buel #6540, 20% Oil less Intermittent Duty	1	AEV
06-SS-1345	S	/-- Compressor Location: M1A	1	AEV
06-SS-13F2	< >	/-- Air Horn Location: Under Front Bumper, F-450 and F-550 2017 + For F-550 may require recess cut into ABS valance - Air Dam.	1	AEV
06-SS-1321	<	/-- Left Air Horn: 10" Buel Strombos Horn, Chrome, No 1061 (493 Hz) HORN-05	1	AEV
06-SS-1332	<	/-- Right Air Horn: 12" Strombos Horn, Chrome, No 1062 (396 Hz) HORN-04	1	AEV
	S <	CABINET SHOP - Modular NOTE: MICA EDGES OF ALL SHELVES; USE 8" STRIKER PLATES ON LATCHES	1	AEV
ZZ-ZZ-ZZZZ	S	/-- ***TOP CABINETS TO HAVE SWEEP OUTS***	1	AEV
07-00-0001	<	ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4" Unless specified as a minimum dimension.	1	AEV
ZZ-ZZ-ZZZZ		/-- ***Wood Cabinet Configuration X Option 172 Type 1	1	AEV
07-00-0009		/-- Cactus mat in cabinets and shelves not required	1	AEV
07-00-MB90		/-- Interior Color Packages	1	AEV
07-00-MC8C	<	/-- Mica Colors: Gloss Antique White over Stainless Steel Parting Line: C/S: Top of squad bench including rear filler. S/S: To CPR side seat.	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
		Stainless Steel on above areas only. No other cabinet gets stainless, unless specified otherwise below.		
07-AS-1200	<	<i>/-- Stainless Steel - FACE of Squad Bench including rear filler</i> End of squad bench shall be MICA.	1	AEV
07-AS-1400		<i>/-- Stainless Steel - Lower Face of Wall Cabinet - Included</i>	1	AEV
ZZ-ZZ-ZZZZ		<i>/--</i>	1	AEV
07-00-PC01	>	<i>/-- LEXAN Type/Color: Lexan - CLEAR</i>	1	AEV
07-00-PH01		<i>/-- Window Handles: Full Length Extruded</i>	1	AEV
07-ZZ-ZZZZ		<i>/--</i>	1	AEV
07-01-SXC1	S <	<i>/-- Attendant Seat: EVS Executive #190060, Black 6-Point Belt</i> Att. seat to be moved 6" toward the bulkhead. To be in same location as last build. 17OF-22295XW.	1	AEV
07-01-SXCJ	< >	<i>/-- Blue Ridge, EVS Executive Seat, Dove insert with 6-Point No logo</i> Arm Rests not allowed as of February 15-2016 SEAT-EVS1900B6D Blue Ridge main color, Dove Insert NO LOGO on the seat	1	AEV
07-SE-02X9	>	<i>/-- BASE: Swivel base for EVS Executive Seat Option X series ILOS</i>	1	AEV
07-AC-4502	<	<i>/-- AC CABINET: Evaporator, Location : Upper Bulkhead X Series WOOD</i> Wood/ Laminate Construction	1	AEV
07-ZZ-ZZZZ		<i>/--</i>	1	AEV
07-CA-0300	>	<i>/-- CURBSIDE UPPER: Over S/B, Mods</i>	1	AEV
07-CU-K107		<i>/-- Cabinet K1 & K2: (2) Openings with flush center divider</i>	1	AEV
07-DR-LX27		<i>/-- (K) Doors: Dual Flip Up 3/8" Lexan</i>	1	AEV
07-DR-LZ22		<i>/-- Hinges: Reel Torque</i>	1	AEV
07-HW-SO11	S	<i>/-- Round Pull Latch: Non-locking - Chrome Finish</i>	1	AEV
11-X0-0010	<	<i>/-- Stowage rating label - Southco round latch 10 pounds applied each</i> A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.	1	AEV
07-HW-SO11	S	<i>/-- Round Pull Latch: Non-locking - Chrome Finish</i>	1	AEV
11-X0-0010	<	<i>/-- Stowage rating label - Southco round latch 10 pounds applied each</i> A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.	1	AEV
07-ZZ-ZZZZ		<i>/--</i>	1	AEV
07-CA-04B0		<i>/-- CURBSIDE REAR STORAGE CABINET: NONE</i>	1	AEV
07-ZZ-ZZZZ		<i>/--</i>	1	AEV
07-LF-4502	S <	<i>/-- LF Cabinet, Behind Att Seat: Cabinet "H" X Series Wood</i> NOTE: DOOR TO BE VENTED	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
07-DR-WDX1		/-- Door, Single Solid , Flush Fitted	1	AEV
07-CA-2100		/-- TRIM: U-shaped Door, J-trim opening	1	AEV
07-DR-OR04		/-- Hinge Orientation: RIGHT	1	AEV
07-HW-HIN1		/-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1	AEV
07-HW-SX11		/-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV
11-X0-0010	<	/-- Stowage rating label - Southco round latch 10 pounds applied each A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.	1	AEV
07-RF-450W	S <	/-- RF ALS Cabinet: X Series Wood X-Series Design with 45° Note: REMOVE SQUARE CORNER INSIDE RF ALS BEHIND THE GLOVE BOX STORAGE****	1	AEV
07-CA-04AX	S	/-- Cabinet, (4) Glove Storage, 45° Section of RF ALS cabinet, X-Series	1	AEV
07-DR-LX04	S	/-- Door: Overlay He, 3/8" Lexan - 4-glove dispense thru	1	AEV
07-HW-SO11	S	/-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV
11-X0-0010	<	/-- Stowage rating label - Southco round latch 10 pounds applied each A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.	1	AEV
07-ZZ-ZZZZ		/--	1	AEV
07-RF-I1XW		/-- Cabinet I-1: Standard, X series Wood Construction	1	AEV
07-DR-LXXA	S	/-- Door: Single Flip Up 3/8" Lexan	1	AEV
07-DR-LZ20		/-- Hinges: Reel Torque	1	AEV
07-HW-SO11	S	/-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV
11-X0-0010	<	/-- Stowage rating label - Southco round latch 10 pounds applied each A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.	1	AEV
07-ZZ-ZZZZ		/--	1	AEV
07-RF-I2W0	S	/-- Cabinet I-2 & I3 COMBINED	1	AEV
07-DR-LXXB		/-- Doors, Dual, Overlay Hinged, 3/8" Lexan - RF ALS Cabinet	1	AEV
07-00-PH02		/-- Window Handles: Full Length Extruded - Hinge Door	1	AEV
07-HW-SX15		/-- Dual Round Pull Latches: Non-locking - Chrome	1	AEV
11-X0-0010	<	/-- Stowage rating label - Southco round latch 10 pounds applied each A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.	2	AEV
07-RA-IOA1		/-- Outside Access: Thru M-7 (RF) Compartment door.	1	AEV
07-RF-0001		/-- Interior MICA Color: White cabinet liner	1	AEV
07-TS-12C2		/-- Shelf Track: Small alum Unistrut type - X Series Wood	1	AEV
07-CA-06V3	S <	/-- (2) Shelves: Adjustable mica over substrate with L Trim ADD SHELF RAMPS TO THE EDGES OF THE 2 SHELVES IN THE	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
		I2 - I3 OF THE ALS ONLY EDGES THAT FACE M7 OPENING AND ALS DOORS ***LAST UNIT THE RAMPS DIDNT GET INSTALLED - MAKE SURE THIS HAPPENS ON THIS UNIT ****		
07-RF-I3W0	S	<i>/-- Cabinet I-3: DELETE, COMBINED WITH I2</i>	1	AEV
07-ZZ-ZZZZ		<i>/--</i>	1	AEV
07-RR-0049		<i>/-- Right Rear Cabinet: Cover over M-5 Compartment X series wood</i>	1	AEV
07-RR-0364	XS < >	<i>/-- Inside access into M-5: Face Aisle</i> The inside access opening shall positioned on the forward half of M-5 compartment. The clear opening shall be 10" wide by 36" tall. To be used to access auto pulse	1	AEV
07-DR-WD00		<i>/-- Door, Single Solid, Flush Fitted</i>	1	AEV
07-CA-2100		<i>/-- TRIM: U-shaped Door, J-trim opening</i>	1	AEV
07-DR-OR04		<i>/-- Hinge Orientation: RIGHT</i>	1	AEV
07-HW-HIN1		<i>/-- Hinge: 1 1/2" Stainless Steel Piano Hinge</i>	1	AEV
07-HW-SO11	S	<i>/-- Round Pull Latch: Non-locking - Chrome Finish</i>	1	AEV
11-X0-0010	<	<i>/-- Stowage rating label - Southco round latch 10 pounds applied each</i> A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.	1	AEV
07-ZZ-ZZZZ		<i>/--</i>	1	AEV
07-SB-4502		<i>/-- SQUAD BENCH: X series Wood</i>	1	AEV
07-SB-0001		<i>/-- See Upholstery Section for Post and Wheel Cup info</i>	1	AEV
07-SB-1102	S <	<i>/-- Bio-waste/Sharps No 1: Tilt out</i> Tilt out door at squad bench Trim Opening Non locking South Co Chrome Latch Sharps container attaches to back of door NOTE Remove any sharp corners on the tilt out	1	AEV
07-HW-SO11	S	<i>/-- Round Pull Latch: Non-locking - Chrome Finish</i>	1	AEV
07-SB-1004		<i>/-- SHARPS CONTAINER: 3-Quart Bemis Container</i>	1	AEV
11-X0-0010	<	<i>/-- Stowage rating label - Southco round latch 10 pounds applied each</i> A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.	1	AEV
07-SB-0999	S	<i>/-- LOCATION: At head of Squad Bench, Tilt out towards isle</i>	1	AEV
07-SB-1005		<i>/-- WASTE CONTAINER: 6 Quart</i>	1	AEV
ZZ-ZZ-ZZZZ		<i>/--</i>	1	AEV
07-SB-1001		<i>/-- Storage Under Lid - Configure to M-6 Compartment Size</i>	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
07-SB-LIDX		<i>/-- Squad Bench Lids: Split - 2-section</i>	1	AEV
07-SB-6470	S <	<i>/-- Squad Head storage cabinet</i> HEAD OF SQUAD BENCH CABINET "P"	1	AEV
		There shall be a custom angled cabinet P installed forward of the squad bench which shall include a narcotics cabinet and the additional LX1 panel Solid wood door for narcotics storage, flush fitted, hinged left, with a locking Southco chrome latch. LX1 panel shall be on a hinged door like the AA panel Space for 2 way radio below the switch Panel.		
07-SB-6472	S	<i>/--</i>	1	AEV
07-SB-LH00		<i>/-- Hinge, Squad Bench Lid(s): Butt Style Hinges</i>	1	AEV
07-SB-LH03		<i>/-- Lid Checks: Gas shock, Dual Action</i>	2	AEV
07-SB-LH07		<i>/-- Latch, Squad Bench Lid: Slam Action Paddle, W keeper</i> Compliant J3058	2	AEV
11-X0-0030	<	<i>/-- Stowage rating label - Squad bench interior, entire area</i> 80 lbs A label shall be applied near the squad bench storage area indicating the latches ability to restrain 80 pounds across the entire area. These latches were tested to SAE J3058 standards to 80 pounds and found passing. The operator should not exceed the 80 pound weight rating.	2	AEV
07-TR-SB01		<i>/-- Edge Trim, Lids: Band w/ Laminate and J-Trim Protection</i>	1	AEV
ZZ-ZZ-ZZZZ		<i>/--</i>	1	AEV
08-MH-1400	<	<i>/-- Restraint Net, Black, 7 point detachable, at head of S/B,</i> Mod Seven (7) NET Attachment Points: Black in color. NETS-MOD2	1	AEV
08-ZZ-ZZZZ		<i>/--</i>	1	AEV
07-TC-4502		<i>/-- TOP CABINETS, - w/ 72" HR, X Series Wood</i>	1	AEV
07-TC-A45W		<i>/-- Cabinet A: 72" HR X series Wood</i>	1	AEV
07-CB-DR50		<i>/-- Doors; Cabinet Secure Latch Restocking Sliding Window</i> Top hinged	1	AEV
11-X0-0016	<	<i>/-- Stowage rating label Secure Latch Restocking Sliding Window 30 pounds applied</i> A label shall be applied for any secure latch restocking sliding window system indicating its ability to restrain 30 pounds of contents within the stowage area.	1	AEV
07-TS-12C2		<i>/-- Shelf Track: Small alum Unistrut type - X Series Wood</i>	1	AEV
07-CA-0610		<i>/-- (1) Shelf: Adjustable mica over substrate with Alum.</i> Trim	1	AEV
07-ZZ-ZZZZ		<i>/--</i>	1	AEV
07-TC-B45W	S <	<i>/-- Cabinet B: Ergonomically angled toward the CPR seat</i> (72"HR) X Wood Note : Cabinet to have additional access from the CPR side of the cabinet. Single lexan door hinged top with reel torque hinges and non locking Southco chrome latch	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
07-CB-DR75		/-- Doors; Cabinet B Secure Latch Restocking Sliding Window Top hinged x	1	AEV
07-DR-LXXA	S <	/-- Door: Single Flip Up 3/8" Lexan To be used for side access to cabinet B	1	AEV
07-DR-LZ20		/-- Hinges: Reel Torque	1	AEV
07-HW-SO11	S	/-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV
11-X0-0010	<	/-- Stowage rating label - Southco round latch 10 pounds applied each A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.	1	AEV
11-X0-0016	<	/-- Stowage rating label Secure Latch Restocking Sliding Window 30 pounds applied A label shall be applied for any secure latch restocking sliding window system indicating its ability to restrain 30 pounds of contents within the stowage area.	1	AEV
07-TS-12C2		/-- Shelf Track: Small alum Unistrut type - X Series Wood	1	AEV
07-CA-06V3	S	/-- (2) Shelves: Adjustable, 1 on each side of divider	1	AEV
07-ZZ-ZZZZ		/--	1	AEV
07-WC-0000		/--	1	AEV
07-WC-4502	>	/-- WALL CABINET: CPR Seat w/Telemetry, Wood Construction X	1	AEV
07-CA-3100	S	/-- Cabinet, Over CPR Seat "D2", reduced depth	1	AEV
07-DR-LX24		/-- Door: Single Flip Up 3/8" Lexan	1	AEV
07-HW-SO11		/-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV
11-X0-0010	<	/-- Stowage rating label - Southco round latch 10 pounds applied each A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.	1	AEV
ZZ-ZZ-ZZZY		/--	1	AEV
07-WC-AAX1	S	/-- Action Area: Half Height ILOS	1	AEV
07-CA-480V	< >	/-- 1/2" Solid Surface A/A Tray No Bio Waste, X-Series ILOS No sharps or trash cutouts requested.	1	AEV
07-CA-482B		/-- Gibraltar (Solid Surface) Material COLOR: Bluestone 9074 EA	1	AEV
07-CA-4U06	S	/-- 1st Action Area Solid Surface Countertop dog leg extension not required	1	AEV
07-WC-AABD		/-- Action Area Board: See Station No 6 for content	1	AEV
07-ZZ-ZZZZ		/--	1	AEV
07-ZZ-ZZZZ		/--	1	AEV
07-WC-O10U	S <	/-- Cabinet O1: Standard, Wood X Sreies Half Height Note: Remove any sharp corners	1	AEV
07-DR-LXX5	S	/-- (O1)Door:Wood flush fitted hinged right	1	AEV
07-HW-SX11		/-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV
11-X0-0010	<	/-- Stowage rating label - Southco round latch 10 pounds applied each A label shall be applied for any door, drawer secured by a Round	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
		Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.		
07-TS-1310		<i>/-- shelf track - NONE</i>	1	AEV
07-WC-X302	S	<i>/-- Wood Cabinet Configuration:</i>	1	AEV
07-WC-C66X		<i>/-- Cabinet C: Wood Construction</i>	1	AEV
07-DR-LXX7		<i>/-- Doors Dual, Overlay Hinged, 3/8" Lexan - Large Cabinet</i>	1	AEV
07-00-PH02		<i>/-- Window Handles: Full Length Extruded - Hinge Door</i>	1	AEV
07-HW-FH09		<i>/-- Brass Grabbers; as needed on door(s).</i>	1	AEV
11-YZ-0909	<	<i>/-- Non-Compliant to J3043, Installed component does not meet performance required</i>	1	AEV
		SPECIAL NOTE: The Stowage enclosure device selected for this order does not meet the performance requirements of the SAE J3058 Recommended Practice for Ambulance Storage Compartments and Cabinets Design.		
		Section 3.11.3 of KKK-A-1822F as revised July 1, 2017 (Change Notice 10), requires		
		1) All Interior enclosed stowage devices shall be tested to their rated weight capacity in accordance with the requirements of SAE J3058.		
		2) Stowage devices shall not come open in transit.		
		Individual requirements for your State may also be applicable, and should be reviewed.		
		Based on your stowage compartment and cabinet design selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.		
07-HW-SO11	S	<i>/-- Round Pull Latch: Non-locking - Chrome Finish</i>	1	AEV
11-X0-0010	<	<i>/-- Stowage rating label - Southco round latch 10 pounds applied each</i>	1	AEV
		A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.		
07-RF-0009		<i>/-- Inside Access / Outside Access</i>	1	AEV
07-ZZ-ZZZZ		<i>/--</i>	1	AEV
07-WC-D66X		<i>/-- Cabinet D: Ergonomically Angled Over Telemetry, Wood Construction</i>	1	AEV
07-CB-DR7D	S < >	<i>/-- Doors; Cabinet D Secure Latch Restocking Sliding Window Hinged Left W/ Cable</i>	1	AEV
		(1) WIND-CFTG		
11-X0-0016	<	<i>/-- Stowage rating label Secure Latch Restocking Sliding Window 30 pounds applied</i>	1	AEV
		A label shall be applied for any secure latch restocking sliding window system indicating its ability to restrain 30 pounds of contents within the stowage area.		
07-TS-12C2		<i>/-- Shelf Track: Small alum Unistrut type - X Series Wood</i>	1	AEV
07-CA-0610		<i>/-- (1) Shelf: Adjustable mica over substrate with Alum. Trim</i>	1	AEV
07-ZZ-ZZZZ		<i>/--</i>	1	AEV
07-WC-E003		<i>/-- Cabinet E: DELETE</i>	1	AEV
07-ZZ-ZZZZ		<i>/--</i>	1	AEV
07-WC-F66X	S	<i>/--</i>	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
07-CB-DR7F	S >	/--	1	AEV
07-DW-0001	S	/-- Drawer: F wood body, Mica inside and out	1	AEV
07-DR-WD14		/-- Drawer Front: Flush Fitted	1	AEV
07-CA-2100		/-- TRIM: U-shaped Door, J-trim opening	1	AEV
07-HW-SO11	S	/-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV
11-X0-0010	<	/-- Stowage rating label - Southco round latch 10 pounds applied each	1	AEV
A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.				
07-HW-SL01		/-- Drawer Slides: Full Extension, Detachable	1	AEV
11-X0-0016	<	/-- Stowage rating label Secure Latch Restocking Sliding Window 30 pounds applied	1	AEV
A label shall be applied for any secure latch restocking sliding window system indicating its ability to restrain 30 pounds of contents within the stowage area.				
07-ZZ-ZZZZ		/--	1	AEV
07-WC-SS02		/-- Side Seat: 24" - Single Position - Under Lid Storage w/Latch	1	AEV
07-WC-BA00		/-- Hinge, CPR Seat Lid(s): Butt Style Hinges	1	AEV
07-WC-BR01		/-- Back Rest: Fixed to Back Wall of CPR Seat w/clips	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
07-WC-TAX1		/-- Telemetry Area: with armrest pad	1	AEV
07-CA-49X0		/-- 1/2" Solid Surface Telemetry Area Tray: X-Series STD	1	AEV
07-CA-480Y	S < >	/-- Solid Surface : Specify Color of Tray	1	AEV
The tray shall have a lip The tray lip shall come up to the front and overlay the face.				
07-CA-482B		/-- Gibraltar (Solid Surface) Material COLOR: Bluestone 9074 EA	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
08-SE-SB10		/-- P6 - 6-Point Restraint System - with CPR Seat	1	AEV
08-SE-SB20	>	/-- (2) on Squad Bench, (1) CPR Side Seat	1	AEV
08-SE-SB70		/-- S/B: (3) Sec patient restraints - 9" Sleeves Face of Bench	1	AEV
08-SE-SB76		/-- S/B: (3) Sec patient restraints - 5" Sleeves By Hinge	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
07-ZZ-ZZZZ		/--	1	AEV
CABINET SET - CELL 4 - MOD				
08-00-00PW		/-- Sub Floor, 3/4" Plywood, Standard	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
08-00-FL3E		Flooring: Loncoin II Flecks- #152, Sapphire (Blue)	1	AEV
08-00-FL01		/-- Flooring Main Edge: 3" Recessed (1/2" deep) roll-up	1	AEV
08-AS-0005		/-- Rear Threshold, Covered with Yellow Speedliner 6" W x Full W at rear doors	1	AEV
08-AS-0007		/-- C/S Stepwell Threshold, Yellow Speedliner Covered Smooth Aluminum	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
08-ZZ-ZZZZ		/--	1	AEV
08-CS-0001		COT MOUNT HARDWARE: (Full Size Mod)	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
08-CR-0900	<	/-- Cot Mount : Stryker, No 6377, Dual Position, Floor Mount Not Compatible with cots other than Stryker!	1	AEV
08-CR-0420	< >	/-- Non-Compliant to SAE J3027, J3102 Patient Cot Mount Notice SPECIAL NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F as revised July 1, 2017 (Change Notice 10), requires A complete litter fastener assembly shall be furnished. The installed litter fastener device for wheeled cots shall meet the performance requirements of SAE J3027. The litter fastener device shall be installed according to the litter fastener manufacturer's instructions. The ambulance floor and substructure shall be tested in accordance with the dynamic requirements of SAE J3102. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.	1	AEV
08-CS-00CM	<	/-- Cot Position No 1: PRIMARY CENTER POSITION Maintain 12" between Cot and S/B.	1	AEV
08-CS-3003		/-- Cot mount set up for: Stryker MX-PRO R3 6082	1	AEV
08-CS-00CP		/-- Cot Location No 2: SECONDARY SIDE POSITION, Left of center	1	AEV
08-CS-3003		/-- Cot mount set up for: Stryker MX-PRO R3 6082	1	AEV
08-CS-19ST		/-- Cot Stop, Block: NONE	1	AEV
08-CS-19U1		/-- Q Straint System: NONE	1	AEV
08-OS-04SX	S <	OXYGEN / AIR / VACUUM System: X-Series NOTE O 2 Alarm to be set at 300 PSI	1	AEV
08-OS-0401	<	/-- Oxygen Outlet No 1: Amico Console - Ohmeda/Ohio Diamond Style Part No: OUTL-AOB	1	AEV
08-OS-040A		/-- LOCATION: Action Area	1	AEV
08-ZZ-ZZZZ		/--	1	AEV
08-OS-0402		/-- Oxygen Outlet No 2: Amico Console - Ohmeda/Ohio Diamond Style	1	AEV
08-OS-040A		/-- LOCATION: Action Area	1	AEV
08-ZZ-ZZZZ		/--	1	AEV
08-OS-0403		/-- Oxygen Outlet No 3: Amico Console - Ohmeda/Ohio Diamond Style	1	AEV
08-OS-040D	S >	/-- LOCATION: Curbside Wall, over head of Squad bench at cabinet "P"	1	AEV
08-ZZ-ZZZZ		/--	1	AEV
08-OS-0404		/-- Oxygen Outlet No 4: Amico Console - Ohmeda/Ohio Diamond Style	1	AEV
08-OS-040C	S	/-- LOCATION: Recessed over head / chest in ABS housing	1	AEV
08-ZZ-ZZZZ		/--	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
ZZ-ZZ-ZZZZ		--	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
08-OS-0905	<	/-- Port Cyl Rack No 2: Zico QR-D-2 - D or Jumbo D - No Strap Req	1	AEV
		Through bolt the rack to metal.		
ZZ-ZZ-ZZ01	S	/-- Location: Ship loose	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
08-OS-090X	< >	-- Port Cyl Rack No 1: Zico QR-D-2 - D or Jumbo D - No Strap Req	1	AEV
		Through bolt the rack to metal.		
08-OS-09L1	S	> /-- Rack Location : ship loose	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
08-OS-13Y0	< >	-- Rack No 1: M/H cylinder Adjustable W QR-MV & Zico Pull Straps compliant	1	AEV
		Fits cylinders 7" diameter or more.		
08-OS-11G1	<	/-- Cylinder Type: OXYGEN - Green Colored Hose	1	AEV
		Regulator connection Nut: 9/16" RH thread.		
08-OS-1301		/-- Rack Location: Left Front, wall #2 near wall #3	1	AEV
08-OS-132M		/-- Set up For M cylinder	1	AEV
08-OS-1902		/-- Regulator Wrench: Cast aluminum, OXYGEN w/ cable lanyard	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
08-OS-1400	<	/-- Electric Oxygen, 12V solenoid valve w/ manual by-pass	1	AEV
		Location: In Action Area		
08-OS-35ST		-- Vacuum System: SSCOR regulator/gauge panel in A/A	1	AEV
08-OS-3501	S	< > /-- Collection Canister w Clip: Bemis, 1200 CC Capacity -J3043 retention compliant	1	AEV
		LOCATION: Under the Action Area		
08-OS-3502		-- VAC Plumbing: Direct from panel to canister - NO Outlet	1	AEV
08-OS-3503		-- Vacuum Pump: 49 State	1	AEV
08-OS-35L8	>	/-- Location: M-1a Compartment	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
08-OS-35VN		-- PORTABLE SUCTION UNIT : NONE	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
08-ZZ-ZZZZ			1	AEV
		TRIM / DOOR ASSEMBLY - CELL 5	1	AEV
09-00-001D	S	> /-- Soft Touch Trim Kit: Installed (Per Cabinet) - ILOS	3	AEV
09-00-001G		/-- Soft Touch Trim Color: Cobalt (Blue)	3	AEV
09-00-0001			1	AEV
09-00-000Z		*****Door Department X Series > New	1	AEV
02-BT-C85V		-- Handles, Ext: Tri-mark 1875, Free Float, Polished CNNC finish X-Series	1	AEV
02-BT-C85A	< >	-- Interior Release: All Entry Doors, with bezel Emergency Access	1	AEV
		All three Entry Doors, top and bottom latches.		
		Bezel installed around emergency release.		

PART NO	S	DESCRIPTION	QTY	ID
09-B1-ED0X		-- Entry Door Panels, Windows and Hardware, X-Series Units	1	AEV
08-MH-0020		-- Interior Grab Handle Color: Yellow Antimicrobial	1	AEV
08-MH-0318	<	-- Grab Handle, CS Entry: (1) 3-pt "L" Shaped 90, Yellow Antimicrobial New 5-12-16	1	AEV
		Install CS door handle after cabinet installation. Close the doors and check for pinch points or cabinet interference.		
08-MH-03E8		-- Grab Handles, Rear Access: (2) 3-pt "L" Shaped 90, Yellow Antimicrobial New 5-12	1	AEV
09-MH-2706	>	-- Grab Rail, C/S wall, curve out over C/S Entry, Yellow Antimicrobial	1	AEV
09-AS-070X	<	-- Door Panels: Mica over Smooth Alum (Upper/Lower), Upholstery (Center) The mica is laminated to smooth aluminum.	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
09-WI-02BX	>	-- "AUTO SHADE" Windows: Upper R/A Doors, Fixed Glass, X-Series STD	1	AEV
09-WI-06BX		-- "AUTO SHADE" Window: Upper C/S Access, Fixed Glass, X-Series STD	1	AEV
09-WI-09BX	<	-- Inverter, "Auto Shade" Windows : Part of X series windows part MDUL-WINDOW	1	AEV
09-IN-3STX	<	-- Insulation: All Module Doors, 2" Black Foam, X-Series units #INSU-ARM2	1	AEV
09-IN-3STY	<	-- Insulation: All Module Doors, Black Sound Proofing, X-Series units #INSU-KSU	1	AEV
09-MH-2531	<	-- Grab Rail, (1), 18" Yellow Antimicrobial Rear Entry Assist std. Located : Module interior at the rear entry, mounted to the M5 compartment filler. Rail is to be through bolted into M5.	1	AEV
09-DR-WT04	<	Walk through Door: Hinged, Door recessed into side of ALS Walk through door recessed into side of ALS cabinet. Install a barrel bolt to keep the door in the OPEN position and an additional barrel bolt to hold the door CLOSED.	1	AEV
09-FM-10X3		Dri-Dek Compt Floors and shelves, Black, STD X-Series	1	AEV
09-FM-11X7	>	-- Dri-Dek EDGES: Yellow, Beveled frontal edges	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
07-ZZ-ZZZZ		--	1	AEV
09-ZZ-ZZZZ			1	AEV
		ELECTRICAL Point to Point - CELL 6	1	AEV
06-EC-1390		-- IV Warmer No 1: NONE	1	AEV
06-EC-1419		-- IV Warmer No2 None required	1	AEV
10-EB-13X2	S < >	Cabinet Light(s) : "DAY BRIGHT" LED Lights, X-Series Units M3 & M7 compartment lights function as cabinet lights and work with timer	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
All Cabinet Lights to work with Check Out Timer				
05-IL-13S1		-- Cab Interior Lights Switching: Thru MultiPlex System	1	AEV
10-EB-13Y0		-- Daybright location 1	1	AEV
10-EB-13YA		/-- Daybright Light Location Cabinet A	1	AEV
10-EB-13Y1		-- Daybright location 2	1	AEV
10-EB-13YB		/-- Daybright Light Location Cabinet B	1	AEV
10-EB-13Y2		-- Daybright location 3	1	AEV
10-EB-13YD	S	/-- Daybright Light Location Cabinet D	1	AEV
10-EB-13Y3		-- Daybright location 4	1	AEV
10-EB-13YC	S	/-- Daybright Light Location Cabinet D2	1	AEV
10-EB-13Y4		-- Daybright location 5	1	AEV
10-EB-13YI	S	/-- Daybright Light Location Cabinet I-1	1	AEV
10-EB-13Y5		/-- Daybright location 6	1	AEV
10-EB-13YK	S <	/-- Daybright Light Location Cabinet K1/K2	1	AEV
Cabinet K1/K2 to have day bright lights on both sides and across the top				
10-IL-02ST	<	Action Area Light: 12V, LED, Surface Mount Lite-I29	1	AEV
10-IL-02L7		-- Light Location: Action Area	1	AEV
10-IL-03ST		Telemetry Area Light: 12V, LED, Surface Mount	1	AEV
10-IL-02L9	S	/-- Light Location: Bottom of Cabinet D	1	AEV
UPHOLSTERY - CELL 7				
11-00-0020	S <	/-- Upholstery Noise reduction pads in cab at pass thru Type 1 Install Vinyl covered one inch Armacell pad on either side of chassis cab pass thru window, in chassis cab, instead of carpet.	1	AEV
color of Vinyl upholstery to best match interior color of chassis cab INSU-ARM1				
11-00-UC02	S <	Upholstery Color: Blue (Blue Ridge) CPR AND SQUAD BENCH SEAT TO BE BLUE VAC FORM .	1	AEV
BLUE WELT				
PAD OVER REAR DOORS AND CURBSIDE DOOR- DOVE GRAY				
PAD AT REAR OF SQUAD BENCH ON M5 FILLER -BLUE				
PAD OVER CPR SEAT-DOVE GRAY				
PADS ON SIDE OF CABINET D AND B TO BE BLUE				
WELT TO BE BLUE				
SQUAD BENCH AND CPR BOTTOM CUSHIONS TO BE BLUE SEAMLESS UPHOLSTERY				
THE UPHOLSTERY ON THE DOORS IS TO BE DOVE GRAY				

PART NO	S	DESCRIPTION	QTY	ID
USE STD SEAT CUSHIONS				
NOTE: SEWN HEAD PADS ARE TO BE 2 TONED. BAND AROUND SIDES OF PADS ARE TO BE BLUE AND THE FRONT OF THE HEAD REST IS TO BE DOVE GRAY				
11-00-UC11		/-- Center Trough Upholstery Color: Color Key to Rest of Truck	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
11-00-UT0X		Uph Joint Type: "PREMIUM " Upgrade	1	AEV
11-SB-0005		Squad Bench seat cushion cut-outs: None	1	AEV
11-SB-0003		/-- Post And Wheel Cups: NONE	1	AEV
11-SE-CSPD		Head Protection: Pad over CS Entry Door	1	AEV
11-SE-REPD		Head Protection: 2" Pad over Rear Access Doors, Full Width	1	AEV
11-MC-1700		/-- Clock: Intellitec Digital / Sweep Emergency Time Manager	1	AEV
11-MC-1800	S <	/-- Location: Over Rear Doors	1	AEV
Mounted over the rear entry doors below the Pt., Stop, Turn Indicator Light				
ZZ-ZZ-ZZZZ		/--	1	AEV
PAINT - STRIPES - DECALS				
12-PT-UNCT		/-- Undercoating : Per QVM Guidelines, STD	1	AEV
12-DC-0001		Reflective Tape: On painted edges of Exterior Door Frame	1	AEV
12-DC-GA10		Compartment Finish: Diamond Plate Standard	1	AEV
12-PT-0100		Primary (Over All) Color: White (YZ)	1	AEV
12-00-0001	S	/-- WHEEL WELL COVERS DA'd & CLEAR COATED	1	AEV
12-DC-0002	<	/-- Flip Step Reflective/Prismatic Tape: Red/White/R/W/R/W/R Install on rearward facing edge of flip up step at rear module entry. REV Tape-RS	1	AEV
12-PT-0112		/-- Tape Stripe: NONE (KKK-F Deviation)	1	AEV
12-PT-0600		/-- Paint Belt: NONE	1	AEV
12-PT-1000		/-- Pin Stripe: NONE	1	AEV
12-ZZ-ZZZZ		/--	1	AEV
12-PT-RF01	< >	/-- Roof Paint: Color and finish quality to be GLOSSY The roof shall be painted, with a glossy finish, but not sanded and buffed.	1	AEV
ZZ-ZZ-ZZZZ		/--	1	AEV
12-PT-1000		Pin Stripe: NONE	1	AEV
12-PT-135F	S <	/-- Inside of (3) Entry Doors: Lower Panels, Double Colors Diamond grade Diamond grade materials. State Colors Required RED AND WHITE	1	AEV
12-ZZ-ZZZZ		/--	1	AEV
12-PT-1301		Special Striping: Chevron Items: NONE	1	AEV
12-PT-2000		Lettering: NONE	1	AEV
12-ZZ-ZZZZ		/--	1	AEV
12-PT-DRIS	<	Drip Rails: Bright Alum, De-burred & rounded corners (SHIPPED LOOSE) Include a drip rail over the C/S Entry Door shipped loose. Add Shop Note to Shipped Loose Section of W/O	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
12-ZZ-ZZZZ			1	AEV
		DETAIL - SHIP LOOSE ITEMS	1	AEV
12-PT-DRIZ	<	-- Drip Rails: Detail-Refer to Paint Section for Drip Rail Information Include a drip rail over the C/S Entry Door.	1	AEV
13-00-0200		-- *Check front of W/O under chassis section for Add' items*	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
13-10-XM00		-- Owner's Manual DVD ship loose	1	AEV
13-10-XMA0		-- Printed Owner's Manual Not Required	1	AEV
13-OX-170X	<	 -- Regulator, Oxygen: Has LX1 Transducer Wrapped and connected to electrical harness in the O2 compartment.	1	AEV
34-OS-1400		-- Amico O2 Minder, Transducer: NONE	1	AEV
13-00-0001	S	(2) Port Cyl Racks: Zico QR-D-2 D Jumbo D : ship loose	1	AEV
13-GL-0000		Glove Holder, Ship Loose: NONE	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
13-KK-KDED		Decals: KKK / DOT Pkg, - NONE/DELETE	1	AEV
13-RF-STAR		 -- Decals: Install 32" Star of Life on Mod Roof	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
13-KK-NSSB		Decals: NO SMOKING & SEATBELT, installed, cab & pt. area.	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
13-KL-0010		AEV Logos: Installed on unit per AEV standard locations	1	AEV
13-MH-05ST	<	Fire Extinguisher, 5 pound, shipped loose, Std Part No: EXTI-01	1	AEV
13-MH-10A0	<	Reflector Pkg: Body - 2ea, Side Fr Amber, Side Re Red, Rear Stick-on reflectors: Peterson "Spitfire" B484R and B484A LOCATIONS: In lower corners of module (2) - (1) each side and Front - AMBER (2) - (1) each side and Rear - RED (2) - On Rear of body - RED	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
13-SB-0003		Post And Wheel Cups: NONE	1	AEV
13-SP-TIRE		Spare Tire: Refer To Chassis Section to See if it gets one.	1	AEV
34-XX-0001		Primary Cot: NONE included	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
34-XX-0002		Secondary Stretcher: NONE included	1	AEV
ZZ-ZZ-ZZZZ		--	1	AEV
34-XX-5000	<	Indemnification Statement The purchaser agrees to defend, indemnify and hold REV harmless from any claims, costs (including actual attorneys' fees), damages and liabilities caused in whole or in part by any alteration or modification of, or changes or additions to the Purchased Products OR use of product for purposes it was not designed or intended for.	1	AEV
		== 172 x 96 T-1 LWB Ford X Base Price - 15.005 03/21/18 ==	1	AEV
		GENERAL CONVERSION	1	AEV
36-AA-0001		WORK ORDER STATUS:	1	AEV
00-90-0301		-- For Confirmation	1	AEV
36-CO-0001		-- CHANGE ORDER POLICY	1	AEV
36-CO-0010	<	-- After Confirmation, Prior to Engineering Change Fee is \$50 Per Item, Plus Option Cost	1	AEV

